



D3.3 v0.1 WSMO Use Case "Virtual Travel Agency"

WSMO Working Draft 19 November 2004

This version:

<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/>

Latest version:

<http://www.wsmo.org/2004/d3/d3.3/v0.1/>

Previous version:

<http://www.wsmo.org/2004/d3/d3.3/v0.1/200411105/>

Editors:

Michael Stollberg
Rubén Lara

Authors:

Michael Stollberg
Holger Lausen
Rubén Lara
Uwe Keller
Michal Zaremba
Armin Haller
Dieter Fensel
Michael Kifer

Reviewer:

Jos de Bruijn

This document is also available in non-normative [PDF](#) version.

Copyright © 2004 [DERI](#)®, All Rights Reserved. [DERI](#) liability, trademark, document use, and software licensing rules apply.

Abstract

This document specifies a concrete use case for modeling Semantic Web Services with the Web Service Modeling Ontology WSMO in the domain of e-tourism. A Virtual Travel Agency sells tickets for international train tickets, and a customer defines a Goal for purchasing such a ticket. This use case has been the initial WSMO Use Case defined in previous versions of the WSMO D3.2 Deliverable - WSMO Use Case and Testing. The main focus of this document is the concrete modeling of the top WSMO components, resulting in the specification of WSML, and to test and elaborate the approach and technologies for Web Service Discovery in WSMO.

For use case modeling, we stick to the final working draft of Web Service Modeling Ontology WSMO, Version 1.0, 20 September 2004 [[Roman et al., 2004](#)].

Related Documents

WSMO Standard: [D2 v1.0 Web Service Modeling Ontology \(WSMO\)](http://www.wsmo.org/2004/d2/), last version at: <http://www.wsmo.org/2004/d2/>

WSMO Primer: [D3.1 v0.1 WSMO Primer](#)

Web Service Modeling Language WSML: [D16 v0.2 WSMO The WSML Family of Representation Languages](#)

WSMO Discovery: [D5.1 v0.1 WSMO Discovery](#)

Table of Contents

1. Introduction

2. Use Case Overview

2.1 Description

2.2 Scope

2.3 Actors, Roles and Goals

2.4 Usage Scenarios

2.5 System Architecture

3. WSMO Use Case Modeling

3.1 Ontologies

3.1.1 International Train Ticket Ontology

3.1.2 Date and Time Ontology

3.1.3 Purchase Ontology

3.1.4 Location Ontology

3.1.5 VTA Use Case Knowledge Base

3.2 Goals

3.3 Web Services

3.4 Mediators

3.4.1 OO Mediators

3.4.2 WG Mediators

3.4.3 GG Mediators

3.4.4 WW Mediators

4. Web Service Discovery within WSMO

5. Conclusions and Future Work

References

Acknowledgements

Appendix A: Change Tracking

Appendix B: Related Resources

B.1 Used Ontologies in OWL

B.2 Related Ontologies

1. Introduction

This use case is defined in the domain of e-tourism: a Virtual Travel Agency sells tickets for international train tickets, and a customer defines a Goal for purchasing such a ticket. Using the conceptual framework of WSMO we specify the top-level notions of Ontologies, Goals, Web Services and Mediators for this use case.

A Web Service of a Virtual Travel Agency, short: VTA, offers end-user services for searching and buying train tickets for itineraries in Austria and in Germany. This Web Service is composed out of other Web Services, namely one for searching existing train connections, and one for purchasing train tickets online. As a user request we assume that the user wants to purchase an international train ticket. The course of the use case shall be the following:

- the customer creates specifies his high level goal of purchasing international train tickets.
- the VTA is one of the Service Providers that is identified as suitable fulfilling his request
- the customer refines his request to an international train ticket valid from Innsbruck to Frankfurt on 17th July 2004, between 6 and 7 p.m. local time
- the VTA returns a set of possible connections
- the user selects one of these connections and poses a request for booking the ticket online
- the VTA combines the online train ticket booking services from ÖBB and DB, executes the booking and payment process, and sends an online ticket per email to the Customer.

This document is structured as follows: [Section 2](#) gives an overview of the use case, describing the overall setting for of the use case and identifying the technical challenges arising for Semantic Web Service technologies; [Section 3](#) defines the needed WSMO components and provides the WSML models for the distinct WSMO components of the use case along with explanations of the design and modeling decisions; [Section 4](#) explains the WSMO Discovery as realized within this use case; finally, [Section 5](#) concludes the use case. [Appendix A](#) provides a change tracking to previous version of the document; [Appendix B](#) provides related resources for this use case.

2. Use Case Overview

According to the general framework for defining use cases for WSMO defined in [WSMO Use Case Overview document, section 2](#), this section provides a description of the setting of this use case. In [\[He et al., 2004\]](#), the travel agency use case is separated into two use cases - one with static discovery and one with automated discovery. With Semantic Web Services we clearly want to support automated discovery.

2.1 Description

Imagine a "Virtual Traveling Agency", called VTA for short, which is an end user service providing eTourism services to customers. These services can cover all kinds of information services concerned with tourism information - from information about events and sights in an area to services that support booking of flights, hotels, rental cars, etc. online. Such VTAs are already existent, currently those portals are accessible via html sites. The partners of the VTA are integrated via conventional B2B integration. By applying Semantic Web Services, a VTA will be more easily be able to configure an invoke Web Services provided by several eTourism suppliers and aggregate them into new customer services. Such VTAs providing automated eTourism services to end users via different interfaces and can be more easily reconfigured according to the actual needs..

Our VTA use case that aggregates Web Services of different tourism service providers. In a nutshell shall it provides the following functionality: A customer uses the VTA service as the entry point for his requests. These end-user services are aggregated by the VTA by invoking and combining Web Services offered by several tourism service providers. To facilitate this, there can be a so called "umbrella" contract between the service providers and the VTA for regulating usage and allowance of the Web Services. Figure 2 gives an overview (modified and extended from [W3C Travel Agent Use Case overview](#), as defined in [\[He et al., 2004\]](#)).




Figure 2. Use Case Overview: Virtual Travel Agency based on Semantic Web Services

2.2 Scope

The scenario outlines a general structure for VTAs that can be extended to more complex scenarios wherein the customer can be a Web Service itself, thus creating a network of composed services that offer complex tourism services. For example, one VTA can provide flight booking services for an airline union, another VTA aggregates booking service for a worldwide hotel chain, and a third VTA provides booking services for rental cars by combining the services of several worldwide operating car rental agencies. Then, another VTA uses these services for providing an end-user service for booking complete holiday trips worldwide.

2.3 Actors, Roles and Goals

In the general use case there are 3 actors. The following defines why they participate in this use case (goal) and the particular interactions they are involved in (roles).

1. **Customer:** the end-user that requests a service provided by the VTA
 - *Goal:* automated resolution of the request by a user-friendly tourism service
 - *Role:* end-user, interacts with VTA for service usage, payment, and non-computational assets (e.g. receiving the actual ticket when booking a trip)
2. **Tourism Service Providers:** commercial companies that provides specific tourism services
 - *Goal:* sell service to end customers, maximize profit as a commercial company
 - *Role:* provides tourism service as a Web Service (also provides the necessary semantic descriptions of the Web Services), may have a usage and allowance contract with the VTA
3. **VTA:** the intermediate between the Customer and the Tourism Service Providers. It provides tourism services to customers by aggregating the separate services provided by the single Service Providers.
 - *Goal:* provide high-quality end-user tourism services, uses existing tourism services and aggregates these into new services, maximize profit as a commercial company / represent union of service providers (depending on the owners of the VTA).
 - *Role:* interacting with customer via user interface (can be web-based for direct human customers interaction or via Web Services for machine-users), usage and allowance contract for Web Services offered by Service Providers, centrally holding all functionalities for handling Semantic Web Services (mechanisms for discovery, composition, execution, etc.)

2.4 Usage Scenarios

We identify the following usage scenarios

1. *VTA interacts with Service Providers on contract and Web Service usage and allowance*
 - **Participating Actors:** VTA and Service Providers
 - **Activities:** business contract negotiation
 - **Technological Requirements:** contract information requirements are modeled in the system, i.e. Web Service usage is implemented via Policies
 - **Possible Extensions:** contract negotiation can be supported by automated mechanisms
2. *Customer requests VTA for searching tourism service offers, VTA detects and queries suitable Web Services and forwards results to Customer*
 - **Participating Actors:** Customer, VTA, Tourism Service Providers
 - **Activities:**
 - (1) Customer selects "Search" services as provided by the VTA
 - (2) VTA discovers, invokes and executes corresponding Web Services
 - **Technological Requirements:**
 - (1) VTA has to pre-define the "Search" functionality that can be requested by a Customer
 - (2) the Tourism Service Providers' Web Services must be semantically described in order to support dynamic discovery (assuming that single Web Services can perform the search functionality)
 - (3) VTA has to provide mechanisms for automated Service Discovery
 - **Possible Extensions:**
 - o the Customer specifies its request in natural language and the request is translated into machine readable form and processed by the VTA service automatically
3. *Customer selects a concrete offer and requests booking for this offer (interacting with the VTA), VTA detects and aggregates Web Services for booking (incl. booking, payment, etc.), displays result to Customer and handles complete execution of customer-interaction (computational part)*
 - **Participating Actors:** Customer, VTA, Tourism Service Providers
 - **Activities:**
 - (1) Customer selects one concrete offer out of the Search results of usage scenario 2
 - (2) VTA discovers and composes available Web Services from Service Providers and composes them into the functionality to satisfy the user request
 - (3) VTA executes the Web Services in the sequence determined, controls the execution (handles errors and detects alternative paths if a Web Service fails)
 - (4) VTA interacts with Customer during execution when further information is needed (e.g. a credit card number for payment)
 - **Technological Requirements:** contract information information requirements are modeled in the system, i.e. Web Service usage is implemented via Policies
 - (1) Web Services must be semantically described in order to support dynamic discovery, composition, and execution
 - (2) VTA has to hold mechanisms for automated Service Discovery, Composition, and Execution
 - (3) VTA has to provide and interaction interface for contingent Customer-interaction during Service execution
 - **Possible Extensions:** advanced mechanisms for automated execution of aggregated Web Services
4. *VTA interacts with Customer and Service Provider for non-computational parts (e.g. delivery of actual tickets)*
 - **Participating Actors:** Customer, VTA, Tourism Service Providers
 - **Activities:** customer notification, accounting, good delivery (out of computational system), etc.
 - **Technological Requirements:** mechanisms for notification and accounting
 - **Possible Extensions:** Web Services can be used for:
 - o customer notification
 - o VTA-Service Provider interaction on accounting and good delivery mandate

2.5 System Architecture

In this use case, the VTA is the central point of interaction between the Customer and other Web Services. Regarding the technological requirements, it is obvious from the usage scenario descriptions that (1) the Web Services offered by the Service Providers have to carry sufficient descriptive information to support automated Web Service usage, and (2) that the VTA has to provide all mechanisms to handle Semantic Web Services. The basic architecture of such a VTA as a central entity for Semantic Web Services handling is shown in Figure 3. The essential functionalities of Semantic Web Service enabled VTAs – with special regard to the requirements for Semantic Web Service technologies – are:

- It has to provide a user interface for customer interaction (for both human and machine users)
- It has to discover suitable Web Services for an user request
- It has to invoke and combine external Semantic Web Services
- It has to provide a Web Service Execution Environment with control functions, error handling, and support for optional user interaction
- It has to deal properly with heterogeneous resources, thus allowing for appropriate mediation facilities.
- It has to provide interfaces for cooperation with Service Providers.




Figure 3. General Architecture of a SWS-enabled VTA

Summarizing, the VTA is a SWS-enabled B2C application that provides an end-user service following a client/server model. In order to support coherent functionality of the VTA and to ensure that the descriptions of Web Services are compatible to this, an overall framework for SWS technologies is needed. This is provided by WSMO.

Semantic Web Service technology can be applied to ease the described use case (a) for the

customer (to find the VTA and resolve his goal) and (b) for the VTA that benefits from semantic description of its business partners. These ease the combination and rearrangement of existing services for the VTA and allows him to flexibly offer new services. In case composition and discovery have reached a higher level of maturity it can even be thought that the technologies (in this case discovery and composition) can be used directly by the end user. So that he himself combines the travel services offered, thus not using the extra intermediate party (the VTA).

3. WSMO Use Case Modeling

This section exemplifies the specification of this use case within the Web Service Modeling Ontology WSMO. The provided listings use the conceptual model and syntax presented in WSMO, final version 1.0 [Roman et al., 2004]. The listings provide have been validated with the [WSML Online Validation Service](#).

The subsequent sections provide the modeling of the resources along with detailed explanations on modeling decisions and related issues. The following tables provide an overview of the resources specified in this use case.

Table 1. "International Train Ticket Ontology"

WSMO component type	ontology
name	International Train Ticket Ontology
description	defines ontology constructs for the domain of international train connections
imported ontologies / used mediators	<ul style="list-style-type: none"> - Date and Time Ontology - Location Ontology - OWL Person Mediator - OWL Fact Book Mediator
main constructs	<p><i>main concepts:</i> station, itinerary, ticket, trip, traintrip</p> <p><i>axioms:</i> stationCountry, departureBeforeArrival, startNotEqualEnd</p>
WSML model	Listing 1

Table 2. "Date and Time Ontology"

WSMO component type	ontology
name	Date and Time Ontology
description	defines notions of date and time, and general interdependencies between them
imported ontologies / used mediators	none
main constructs	<p><i>main concepts:</i> instant, interval, date, time, dateandtime</p> <p><i>functions:</i> julianDayNumber, daysBetween, secondsBetween, secondsFromMidnight</p> <p><i>relations:</i> contains (for intervals)</p> <p><i>axioms:</i> equality / before / after / between for date and time notions, integrity constraints</p>
WSML model	Listing 2

Table 3. "Purchase Ontology"

WSMO component type	ontology
name	Purchase Ontology
description	defines notions of purchasing, incl. buyer, seller, purchase order, purchase partners, payment notions, etc.; based on RosettaNet , but adopted for B2C setting
imported ontologies / used mediators	<ul style="list-style-type: none"> - Date and Time Ontology - OWL Currency Mediator
main constructs	<p><i>main concepts:</i> purchase, buyer, seller, contactInformation, purchaseOrder, product, paymentMethod, paymentTerms, delivery</p>
WSML model	Listing 3

Table 4. "Location Ontology"

WSMO component type	ontology
name	Location Ontology
description	defines geographical notions and postal address; extends / combines existing domain ontologies
imported ontologies / used mediators	<ul style="list-style-type: none"> - OWL Fact Book Mediator - OWL Address Mediator - OWL Geo Mediator

main constructs	<p><i>main concepts:</i> country, address, city, state, border, distance; incl. concepts / attributes imported via mediators</p> <p><i>functions:</i> distanceInKilometers, distanceInMiles,</p> <p><i>relations:</i> equalDistance, lessThanDistance, moreThanDistance</p> <p><i>axioms:</i> integrity constraints</p>
WSML model	Listing 4

Table 5. "VTA Use Case Knowledge Base"

WSMO component type	ontology
name	VTA Use Case Knowledge Base
description	holds all pre-defined instance data needed within the use case
imported ontologies / used mediators	<ul style="list-style-type: none"> - Train Connection Ontology - Purchase Ontology - Date and Time Ontology - Location Ontology
main constructs	<p><i>instances for :</i> stations, currentDate, credit card types, locations (continents, countries, states, cities), drop ship carriers, transportations means</p>
WSML model	Listing 45

Table 6. "General Goal for buying a ticket online "

WSMO component type	goal
name	Buying a train ticket online
description	defines the general ontological structure of goal notions for buying tickets online according to the ontologies; this goal serves as a template for concrete goals (see table 6).
imported ontologies / used mediators	<ul style="list-style-type: none"> - Train Connection Ontology - Purchase Ontology - Location Ontology
main constructs	<p><i>postcondition:</i> purchase a ticket for an itinerary (a trip and a passenger)</p> <p><i>effect:</i> get the purchased ticket delivered to the buyer</p>
WSML model	Listing 6

Table 7. "Concrete Goal for buying a ticket online "

WSMO component type	goal
name	Buying a train ticket from Innsbruck to Frankfurt
description	Buying a train ticket online for an itinerary from Innsbruck to Frankfurt for a specific passenger with payment by credit card This goal is derived by specializing og the general goal (table 5) via an GG Mediator (table 12)
imported ontologies / used mediators	- Date and Time - GG Mediator 1
main constructs	<i>postcondition:</i> purchase a ticket for an itinerary for a trip from Innsbruck to Frankfurt on 17th July 2004 for Tim Berners Lee, departure between 6 and 7 p.m. <i>effect:</i> get the purchased ticket delivered to the buyer
WSML model	Listing 7

Table 8. "ÖBB Web Service for selling international train tickets online "

WSMO component type	web service
name	OEBB Online Ticket Booking Web Service
description	web service for booking online train tickets for Austria and Germany, offered by the ÖBB (Austrian national train operator)
imported ontologies / used mediators	- Train Connection Ontology - Purchase Ontology - Date and Time Ontology - Location Ontology
main constructs	<i>precondition:</i> a buyer, and information on the trip that a ticket is searched and sold for and the passenger for whom the ticket shall be valid <i>assumption:</i> if the payment method is credit card, then the credit card has to be valid (i.e. not expired) <i>postcondition:</i> a purchase for a ticket by ÖBB as provider, for itineraries valid for a train trip with start- and endloction in Austria or Germany and for a passenger, incl. price, and payment only via credit card <i>effect:</i> delivery of sold ticket by drop ship carrier or by online delivery
WSML model	Listing 8

Table 9. "OWL Address Mediator"

WSMO component type	oo mediator
name	importing the OWL Factbook ontology to WSML
description	Mediator to import an OWL address ontology into a WSML locations ontology
imported ontologies / used mediators	
main constructs	<i>source component</i> : an Address Ontology in OWL <i>target component</i> : Location Ontology (Table 4) <i>mediation service</i> : not specified
WSML model	Listing 9

Table 10. "OWL Currency Mediator"

WSMO component type	oo mediator
name	importing the OWL Currency ontology to WSML
description	Mediator to import an OWL currency ontology into a WSML purchase order ontology
imported ontologies / used mediators	
main constructs	<i>source component</i> : an Currency Ontology in OWL <i>target component</i> : Purchase Ontology (Table 3) <i>mediation service</i> : not specified
WSML model	Listing 10

Table 11. "OWL Factbook Mediator"

WSMO component type	oo mediator
name	importing the OWL Factbook ontology to WSML
description	Mediator to import an OWL factbook ontology into a WSML ontology
imported ontologies / used mediators	
main constructs	<i>source component</i> : the OWL Factbook (in OWL) <i>target component</i> : Location Ontology (Table 4) <i>mediation service</i> : not specified
WSML model	Listing 11

Table 12. "OWL Person Mediator"

WSMO component type	oo mediator
name	importing the OWL Person ontology to WSML

description	Mediator to import an OWL person ontology into a WSML ontology
imported ontologies / used mediators	
main constructs	<i>source component</i> : a Person ontology (in OWL) <i>target component</i> : Internaction Train Connection Ontology (Table 1) <i>mediation service</i> : not specified
WSML model	Listing 12

Table 13. "GG Mediator"

WSMO component type	gg mediator
name	GG Mediator that that links the general Goal for buying tickets with the concrete Goal for buying a train ticket from Innsbruck to Frankfurt
description	Restricts the trip to train trips within Austria and Germany
imported ontologies / used mediators	all ontologies and mediators are inherited from the source component; no additional ontologies or OO Mediators are needed
main constructs	<i>source component</i> : general goal for buying tickets (Table 5) <i>target component</i> : concrete Goal for buying a train ticket (Table 6) <i>mediation service</i> : not specified
WSML model	Listing 13

3.1 Ontologies

With regard to modularized ontologies as a basic design principle of WSMO, we define four separate domain ontologies as the the terminology definitions for the use case:

1. "International Train Ticket" describes the domain of train tickets
2. "Date and Time" defines a general model for specifying time and dates and relationships of them
3. "Purchase" describes generic elements of purchasing a product between a buyer and a seller.
4. "Locations" describes locations (such as continents, countries and cities and their interrelation).

The ontologies specified in the following are intended to be "real ontologies" in the sense that they describe the specific domain as a shared conceptualization in a sufficient manner. This allows to reuse this ontologies in different settings and use cases - for example, notions or date and time or a general purchase ontology are needed in a lot of other possible scenarios. However, we do not claim the defined below to be such generic ontologies, but they will be enhanced and completed within cooperations with other use cases, projects, and initiatives. [Appendix B](#) provides the original ontologies that are used within the domain ontologies specified in this section.

At this point in time, WSMO does not provide a technique to link to large set of instances. Therefore, in this version of the ontology we only include some example instances, which holds for the other ontologies defined in this use case as well. For reader's convenience, the relevant

instances for this use case are gathered in the VTA Use Case Knowledge Base, a separate ontology. The inclusion of links to large set of instances will be considered in future versions of WSMO.

3.1.1 International Train Ticket Ontology

The "International Train Ticket" Ontology defines a train trip and the surrounding concepts as defined the WSML definition of the ontology shown in Listing 1.

The definition of the ontology is based on the [travel itinerary ontology](#) from the DAML ontology library, which is also available in Appendix [B6](#) in OWL abstract syntax. The ontology defines travel itineraries for trips by plane. Our ontology reuses the itinerary and flight concepts and adapt them to define train trips, also introducing new concepts such as train station. The international train ticket ontology also makes use of the person ontology defined at <http://daml.umbc.edu/ontologies/ittalks/person> (Appendix [B1](#)), which defines a subset of [vCard](#). The person concept is used to define the passenger information for an itinerary. We did not find any other available ontologies that model the domain of train tickets or itineraries. The first version of the [harmonize ontology](#) for the tourism domain focuses on the events and accommodations subdomains. We will take into account future versions of the harmonise ontology, as they are likely to include the travelling subdomain.

Listing 1. Domain Ontology "International Train Ticket"

```

namespace <<http://www.wsmo.org/ontologies/trainConnection#>>
  dc:<<http://purl.org/dc/elements/1.1#>>
  dt:<<http://www.wsmo.org/ontologies/dateTime#>>
  prs:<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlPersonMediator.wsml>>
  loc:<<http://www.wsmo.org/ontologies/location#>>
  geo:<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlGeoMediator.wsml#>>
  xsd:<<http://www.w3.org/2001/XMLSchema#>>

ontology <<http://www.wsmo.org/ontologies/trainConnection>>

  nonFunctionalProperties
    dc:title hasValue "International Train Connections Ontology"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"Train", "Itinerary", "Train Connection", "Ticket"}
    dc:description hasValue "International Train Connections"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValues {"Michael Stollberg",
      <<http://homepage.uibk.ac.at/~C703225/foaf.rdf>>,
      <<http://homepage.uibk.ac.at/~c703240/foaf.rdf>>,
      <<http://homepage.uibk.ac.at/~c703262/foaf.rdf>>}
    dc:date hasValue "2004-10-08"
    dc:type hasValue <<http://www.wsmo.org/2004/d2#ontologies>>
    dc:format hasValue "text/html"
    dc:identifier hasValue <<http://www.wsmo.org/ontologies/trainConnection>>
    dc:source hasValue <<http://www.daml.org/2001/06/itinerary/itinerary-ont>>
    dc:language hasValue "en-US"
    dc:relation hasValues {<<http://www.daml.org/2001/06/itinerary/itinerary-ont>>,
      <<http://daml.umbc.edu/ontologies/ittalks/person>>,
      <<http://www.wsmo.org/ontologies/dateTime>>,
      <<http://www.wsmo.org/ontologies/location>>,
      <<http://www.daml.org/2001/02/geofile/geofile-ont>>,
      <<http://www.daml.org/2001/02/geofile/geofile-ont>>}}
    dc:coverage hasValue "ID:7029392 Name:World"
    dc:rights hasValue <<http://www.deri.org/privacy.html>>
    version hasValue "$Revision: 1.6 $"
  endNonFunctionalProperties

  importedOntologies {<<http://www.wsmo.org/ontologies/dateTime>>,
    <<http://www.wsmo.org/ontologies/location>>}

  usedMediators {<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlPersonMediator.wsml>>,
    <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlFactBookMediator.wsml>>}

  concept station subConceptOf geo:geographicLocation
    nonFunctionalProperties
      dc:description hasValue "Train station"
    endNonFunctionalProperties
    code ofType xsd:string
    nonFunctionalProperties
      dc:description hasValue "Code of the station"
    endNonFunctionalProperties
    borderToCountry ofType loc:borde
    nonFunctionalProperties
      dc:description hasValue "For stations located at the border"
    endNonFunctionalProperties

  concept ticket
    nonFunctionalProperties
      dc:description hasValue "a ticket for an itinerary"
    endNonFunctionalProperties
    itinerary ofType itinerary
    provider ofType po:partnerDescription
    price ofType po:price

  concept itinerary
    nonFunctionalProperties
      dc:description hasValue "An itinerary between two locations"
    endNonFunctionalProperties
    passenger ofType prs:person
    nonFunctionalProperties
      dc:description hasValue "prs:person is a subset of vCard (http://www.ietf.org/rfc/rfc2425.txt)"
    endNonFunctionalProperties
    recordLocatorNumber ofType xsd:string
    trip ofType trip

  concept trip
    start ofType loc:location
    end ofType loc:location

```

```

via ofType set loc:location
departure ofType dt:dateAndTime
arrival ofType dt:dateAndTime
duration ofType dt:interval
distance ofType loc:distance

```

```

concept trainTrip subConceptOf trip
nonFunctionalProperties
  dc:description hasValue "A train trip"
endNonFunctionalProperties
start ofType station
end ofType station
via ofType set station
seat ofType xsd:string
train ofType xsd:string
class ofType xsd:string

```

```

axiom stationCountry
nonFunctionalProperties
  dc:description hasValue "Integrity constraint: if a station is located in a place
  which is located in a given country, the country of the station is the
  same"
endNonFunctionalProperties
definedBy
  constraint
    ?S[
      locatedIn hasValue ?L,
      country hasValue ?C
    ]memberOf station
  and not ?L[
    country hasValue ?C
  ]memberOf loc:location .

```

```

axiom departureBeforeArrival
nonFunctionalProperties
  dc:description hasValue "Integrity Constraint: departure has to be before arrival"
endNonFunctionalProperties
definedBy
  constraint
    ?T[
      departure hasValue ?D,
      arrival hasValue ?A
    ]memberOf trip
  and ?A <= ?D.

```

```

axiom startNotEqualEnd
nonFunctionalProperties
  dc:description hasValue "Integrity Constraint: the start and end of a trip have to be different"
endNonFunctionalProperties
definedBy
  constraint
    ?T[
      start hasValue ?Start,
      end hasValue ?End
    ]memberOf trip
  and ?Start = ?End.

```

3.1.2 Date and Time Ontology

The "Date and Time Ontology" in Listing 2 defines models for dates (i.e. certain days) and time (i.e. definition of certain points in time). Further, it defines axioms that represent conventional aspects of date and time, like 'before' and 'after', etc. In the use case, this is needed to determine validity of train connections, e.g for ensuring that a ticket is not for an itinerary that is in the past. It also can be used generally for expressing dates and time and relationships between them.

The main ontology taken into consideration for developing this conceptual model of Date and Time is an entry sub-ontology of time, available at <http://www.isi.edu/~pan/damlttime/time-entry.owl>. This ontology uses abstract temporal concepts like instant, interval and event and uses the Gregorian calendar as representation (partly using own encoding and partly using XSD encoding). Axioms are defined in first order logic in the

accompanying paper [Pan and Hobbs]; there also is a LISP version of these axioms available at <http://www.cs.rochester.edu/~ferguson/daml/daml-time-20030728.lisp>. Other ontologies like COBRA calendarclock ontology (<http://daml.umbc.edu/ontologies/cobra/0.4/calendarclock>) are only a straight forward representation of the Gregorian calendar, without any abstraction of concepts and description of axioms. Widely used concrete representations for date and time are defined in ISO 8601 (Numeric representation of Dates and Time) and in the XML Schema Definition (<http://www.w3.org/TR/xmlschema-2/>), which is based on ISO 8601. In a later stage when it is clear which build in predicates can be used we will add a syntactical mapping to `xsd:dateTime`.

Listing 2. Domain Ontology "Date and Time"

```

namespace
  dc: <<http://purl.org/dc/elements/1.1#>>
  targetNameSpace: <<http://www.wsmo.org/ontologies/dateTime#>>

ontology <<http://wsmo.org/ontologies/dateTime/>>

  nonFunctionalProperties
    dc:title hasValue "Date and Time Ontology"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"Date", "Time", "Date and Time Algebra"}
    dc:description hasValue "generic representation of data and time including basic algebra"
    dc:publisher hasValue "DERI International"
    dc:date hasValue "2004-10-04"
    dc:type hasValue <<http://www.wsmo.org/2004/d2/v1.0/#ontologies>>
    dc:format hasValue "text/html"
    dc:language hasValue "en-US"
    dc:relation hasValues {<<http://www.isi.edu/~pan/dam/time/time-entry.owl>>,
      <<http://www.w3.org/TR/xmlschema-2/>>}
    dc:coverage hasValue "World"
    dc:rights hasValue <<http://www.deri.org/privacy.html>>
    version hasValue "$Revision: 1.2 $"
  endNonFunctionalProperties

  comment: conceptDefinitions
    concept instant
      nonFunctionalProperties
        dc:description hasValue "An instant represents a particular point in time and is the super concept
          of all concrete representations such as the Gregorian calendar"
      endNonFunctionalProperties

    concept interval
      nonFunctionalProperties
        dc:description hasValue "An interval represents a duration between 2 points in time"
      endNonFunctionalProperties
      start ofType instant
      end ofType instant

    concept date subConceptOf instant
      nonFunctionalProperties
        dc:description hasValue "concept date and its representation according to the Gregorian Calendar"
      endNonFunctionalProperties
      dayOfMonth ofType dayOfMonth
      monthOfYear ofType monthOfYear
      year ofType year

    concept dayOfMonth subConceptOf xsd:integer
      nonFunctionalProperties
        dc:description hasValue "day of a month is represented by an integer"
      endNonFunctionalProperties

    concept year subConceptOf xsd:integer
      nonFunctionalProperties
        dc:description hasValue "year is represented by an integer"
      endNonFunctionalProperties

    concept monthOfYear subConceptOf xsd:integer
      nonFunctionalProperties
        dc:description hasValue "monthOfYear is represented by an integer"
      endNonFunctionalProperties

    concept time
      hourOfDay ofType hourOfDay
      minuteOfHour ofType minuteOfHour
      secondOfMinute ofType secondOfMinute

    concept secondOfMinute subConceptOf xsd:integer
      nonFunctionalProperties
        dc:description hasValue "a secondOfMinute is represented by an integer"
      endNonFunctionalProperties

    concept minuteOfHour subConceptOf xsd:integer
      nonFunctionalProperties
        dc:description hasValue "a minuteOfHour is represented by an integer"
      endNonFunctionalProperties

    concept hourOfDay subConceptOf xsd:integer
      nonFunctionalProperties
        dc:description hasValue "a hourOfDay is represented by an integer"
      endNonFunctionalProperties

```

```

concept dateAndTime subConceptOf instant
nonFunctionalProperties
  dc:description hasValue "concept date and time and representing together a specific point of time (instant)"
endNonFunctionalProperties
date ofType date
time ofType time

comment: functionDefintions
function julianDayNumber
nonFunctionalProperties
  dc:description hasValue "The Julian Day Count is a uniform count of days from a remote epoch
  in the past (about 4712 BC). At this instant, the Julian Day Number is 0. Once
  you have the Julian Day Number of a particular date in history, it is easy to
  calculate time elapsed between it and any other Julian Day Number"
  dc:source hasValue <<http://quasar.as.utexas.edu/BillInfo/JulianDatesG.html>>
  dc:description hasValue "For each instant there should exist a corresponding Julian Day
  Number, however it may not be always defined only by this binary predicate,
  e.g. if the instant is represented as Gregorian Date and it is a date between
  1582 and 1924 a country must be given as third parameter (since e.g. Greece
  changed no earlier then 9th of March 1924 from the Julian to the Gregorian Calendar)"
  comment: The following dc:source indicates which country changed in which year
  dc:source hasValue <<http://members.brabant.chello.nl/~h.reints/cal/whenjul2greg.htm>>
endNonFunctionalProperties
instant ofType instant
range ofType xsd:integer

function daysBetween
nonFunctionalProperties
  dc:description hasValue "(Instant1, Instant2, Difference) is a triple of the ternary relation
  corresponding to this function iff Instant1 and Instant2 are members of the concept
  instant (particular point in time) and Instant2 is Difference days after Instant1."
endNonFunctionalProperties
instant1 ofType instant
instant2 ofType instant
range ofType xsd:integer

function secondsBetween
nonFunctionalProperties
  dc:description hasValue "(Instant1, Instant2, Difference) is a triple of the ternary relation
  corresponding to this function iff Instant1 and Instant2 are members of the concept
  instant (particular point in time) and Instant2 is Difference seconds after Instant1."
endNonFunctionalProperties
instant1 ofType instant
instant2 ofType instant
range ofType xsd:integer

function secondsFromMidnight
nonFunctionalProperties
  dc:description hasValue "(Time, SecondsFromMidnight) is a tuple of the binary relation
  corresponding to this function iff SecondsFromMidnight are the seconds elapsed from
  00:00:00 of the same day.
  This simplifies the axiomatization of the difference between two given times"
endNonFunctionalProperties
time ofType time
range ofType xsd:integer

comment: relationDefintions
relation contains
nonFunctionalProperties
  dc:description hasValue "(Interval, X) is a tuple of the binary relation
  corresponding to this function iff Interval contains X and X is an instant or an
  interval"
endNonFunctionalProperties
interval ofType interval
intervalOrInstant ofType instantOrInterVal

concept instantOrInterVal
definedBy
  forAll ?x (?x memberOf instantOrInterVal <-> ?x memberOf instant or ?x memberOf interval).

comment: axiomDefinitions
axiom invalidMonthOfYear
nonFunctionalProperties
  dc:description hasValue "integrity constraint for valid monthOfYear"
endNonFunctionalProperties
definedBy
constraint
  ?X memberOf monthOfYear and

```

($?X < 1$ or $X > 12$).

axiom invalidDayOfMonth
nonFunctionalProperties
 dc:description **hasValue** "integrity constraint for valid dayOfMonths"
endNonFunctionalProperties
definedBy
constraint
 $?X$ memberOf dayOfMonth and
 $(X < 1$ or $X > 31)$.

axiom validDate
nonFunctionalProperties
 dc:description **hasValue** "Integrity Constraints for date."
 The dayOfMonth is valid in dependency of the actual monthOfYear, in a leap year the month 2 of the Year has 29 days otherwise 28. For leap years holds the following: Every year divisible by 4 is a leap year. However, every year divisible by 100 is **not** a leap year. However, every year divisible by 400 is a leap year after all.

Note: This axiomatization is still imprecise, since the country plays a role when defining a valid day of the month: E.g. 1712 was a double leap year in Sweden, i.e. February 1712 had 30 days in Sweden.

The mathematical **function** symbol modulo is assumed to be defined elsewhere as that it returns the remainder after an integer division of its first argument by its second"

dc:source **hasValue** <<http://www.tondering.dk/clus/cal/node3.html>>
endNonFunctionalProperties
definedBy
constraint
 $?X$ memberOf date and (
 $(?X.dayOfMonth > 28$ and $?X.monthOfYear = 2$ and
 not ((modulo($?X.year$, 4) = 0 and not modulo($?X.year$, 100) = 0)
 or modulo($?X.year$, 400) = 0))
 or $(?X.dayOfMonth > 29$ and $?X.monthOfYear = 2)$
 or $(?X.dayOfMonth > 30$ and $?X.monthOfYear = 4)$
 or $(?X.dayOfMonth > 30$ and $?X.monthOfYear = 6)$
 or $(?X.dayOfMonth > 30$ and $?X.monthOfYear = 9)$
 or $(?X.dayOfMonth > 30$ and $?X.monthOfYear = 11)$).

axiom invalidHourOfDay
nonFunctionalProperties
 dc:description **hasValue** "integrity constraint for valid hourOfDay:"
endNonFunctionalProperties
definedBy
constraint
 $?X$ memberOf hourOfDay and
 $(?X < 0$ or $?X >= 24)$.

axiom invalidMinuteOfHour
nonFunctionalProperties
 dc:description **hasValue** "integrity constraint for valid minuteOfHour:"
endNonFunctionalProperties
definedBy
constraint
 $?X$ memberOf minuteOfHour and
 $(?X < 0$ or $?X >= 60)$.

axiom invalidSecondOfMinute
nonFunctionalProperties
 dc:description **hasValue** "integrity constraint for valid secondOfMinute:"
endNonFunctionalProperties
definedBy
constraint
 $?X$ memberOf secondOfMinute and
 $(?X < 0$ or $?X >= 60)$.

axiom invalidInterval
definedBy
constraint
 $?X$ memberOf interval and $?X.start >= ?X.end$.

axiom equalityDate
nonFunctionalProperties
 dc:description **hasValue** "computes equality of a date"
endNonFunctionalProperties
definedBy
 $X = ?Y$ <-

?Y memberOf date and ?X memberOf date and
 ?X.dayOfMonth = ?Y.dayOfMonth and
 ?X.monthOfYear = ?Y.monthOfYear and
 ?X.year = ?Y.year.

axiom beforeDate

nonFunctionalProperties

dc:description **hasValue** "computes if a given date X is before another date ?Y"

endNonFunctionalProperties

definedBy

?X < ?Y <-

?Y memberOf date and ?X memberOf date and

((?X.dayOfMonth = ?Y.dayOfMonth and ?X.monthOfYear = ?Y.monthOfYear and ?X.year = ?Y.year) or

(?X.monthOfYear < ?Y.monthOfYear and ?X.year = ?Y.year) or

(?X.year < ?Y.year)).

axiom afterDate

nonFunctionalProperties

dc:description **hasValue** "defined as inverse of beforeDate"

endNonFunctionalProperties

definedBy

?X > ?Y <- ?Y < ?X.

axiom julianDayNumber

nonFunctionalProperties

dc:description **hasValue** "This **Axiom** describes how the correct Julian Day Number can be computed for a given Gregorian Calendar Date. Note that the Gregorian Calendar was introduced in 15.October 1582. however until 1919 this axiomatization is **not** unambiguous since the country should be taken into account as 3rd **parameter** (e.g. Greece changed at the 9 Mar 1924 from the Julian to the Gregorian calendar).

Details to the axiomatization

If the month is January **or** February we subtract 1 from the year to get a new Year **and** add 12 to the month to get a new Month. (Thus, we are thinking of January **and** February as being the 13th **and** 14th month of the previous year **and** March is the start of the year, this simplifies the calculation considering the leap year)

Within the calculation the fractional part of all results has to be dropped, here we use the **function** symbol floor() [it can be rewritten as predicate, however it gets less readable]

A more lengthy description of this axiomatization can be found at <http://quasar.as.utexas.edu/BillInfo/JulianDatesG.html>"

dc:source **hasValues** {<<<http://quasar.as.utexas.edu/BillInfo/JulianDatesG.html>>>, <<<http://members.brabant.chello.nl/~h.reints/cal/whenjul2greg.htm>>>}

endNonFunctionalProperties

definedBy

julianDayNumber[instant **hasValue** ?X, result **hasValue** ?JDN]

<-

?X memberOf date and

((

?X.monthOfYear < 3 and

?Y = ?X.year - 1 and

?M = ?X.monthOfYear + 12

)

or

(

?X.monthOfYear > 2 and

?Y = ?X.year and

M = ?X.monthOfYear

))

and

?D = ?X.dayOfMonth and

?A = floor(?Y / 100) and

?B = floor(?A / 4) and

?C = 2 - ?A + ?B and

?E = floor(365.25 * (?Y + 4716)) and

?F = floor(30.6001 * (?M + 1)) and

?JDN = ?C + ?D + ?E + ?F - 1524.

axiom daysBetweenDates

nonFunctionalProperties

dc:description **hasValue** "the difference in days between 2 dates"

endNonFunctionalProperties

definedBy

daysBetween[instant1 **hasValue** ?D1, instant2 **hasValue** ?D2, result **hasValue** ?X] <-
 ?D1 memberOf date and ?D2 memberOf date and

?X = julianDayNumber(?D1) - julianDayNumber(?D2).

axiom equalityTime

nonFunctionalProperties

dc:description **hasValue** "computes if two given times are the same"

endNonFunctionalProperties

definedBy

?X = ?Y <-

?X **memberOf** time **and** ?Y **memberOf** time **and**

?X.secondOfMinute = ?Y.secondOfMinute **and**

?X.minuteOfHour = ?Y.minuteOfHour **and**

?X.hourOfDay = ?Y.hourOfDay.

axiom beforeTime

nonFunctionalProperties

dc:description **hasValue** "computes if a given time ?X is before another time ?Y"

endNonFunctionalProperties

definedBy

?X < ?Y <-

?X **memberOf** time **and** ?Y **memberOf** time **and**

((?X.secondOfMinute < ?Y.secondOfMinute **and** ?X.minuteOfHour = ?Y.minuteOfHour **and** ?X.hourOfDay = ?Y

(?X.minuteOfHour < ?Y.minuteOfHour **and** ?X.hourOfDay = ?Y.hourOfDay) **or**

(?X.hourOfDay < ?Y.hourOfDay)).

axiom afterTime

nonFunctionalProperties

dc:description **hasValue** "defined as inverse of beforeTime"

endNonFunctionalProperties

definedBy

?X > ?Y <- ?Y < ?X.

axiom secondsFromMidnight

nonFunctionalProperties

dc:description **hasValue** "computes the amount of seconds from midnight"

endNonFunctionalProperties

definedBy

secondsFromMidnight[time **hasValue** ?T, result **hasValue** ?X] <-

?T **memberOf** time **and**

?X = ?T.secondOfMinute + (?T.minuteOfHour*60) + (?T.hourOfDay*60*60).

axiom secondsBetweenTimes

nonFunctionalProperties

dc:description **hasValue** "the difference in seconds between 2 times"

endNonFunctionalProperties

definedBy

secondsBetween[instant1 **hasValue** ?T1, instant2 **hasValue** T2, result **hasValue** ?X] <-

?T1 **memberOf** time **and** ?T2 **memberOf** time **and**

?X = secondsFromMidnight(?T1) - secondsFromMidnight(?T2).

axiom equalityDateAndTime

nonFunctionalProperties

dc:description **hasValue** "computes if Date **and** Time are equal"

endNonFunctionalProperties

definedBy

?X = ?Y <-

?X **memberOf** dateAndTime **and** ?Y **memberOf** dateAndTime **and**

?X.date = ?Y.date **and**

?X.time = ?Y.time.

axiom beforeDateAndTime

nonFunctionalProperties

dc:description **hasValue** "computes if a given date **and** time ?X is before another date **and** time ?Y"

endNonFunctionalProperties

definedBy

?X < ?Y <-

?X **memberOf** dateAndTime **and** ?Y **memberOf** dateAndTime **and**

((?X.date = ?Y.date **and** ?X.time < ?Y.time) **or**

?X.date < ?Y.date).

axiom afterDateAndTime

nonFunctionalProperties

dc:description **hasValue** "defined as inverse of beforeDateAndTime"

endNonFunctionalProperties

definedBy

?X > ?Y <- ?X

memberOf dateAndTime **and** ?Y **memberOf** dateAndTime **and**

?Y < ?X.

axiom secondsBetweenDateAndTime

```

nonFunctionalProperties
  dc:description hasValue "computes the difference in seconds between two different DateAndTime"
endNonFunctionalProperties
definedBy
  secondsBetween[instant1 hasValue ?D1, instant2 hasValue ?D2, result hasValue ?X] <-
    ?D1 memberOf dateAndTime and ?D2 memberOf dateAndTime and
    ?X = secondsFromMidnight(?D1.time) + julianDayNumber(?D1.date) * 24 * 60 * 60 -
      (secondsFromMidnight(?D2.time) + julianDayNumber(?D2.date) * 24 * 60 * 60).

axiom daysBetweenDateAndTime
nonFunctionalProperties
  dc:description hasValue "the difference in days between two different DateAndTime"
endNonFunctionalProperties
definedBy
  daysBetween[instant1 hasValue ?T1, instant2 hasValue T2, result hasValue ?X] <-
    D1 memberOf dateAndTime and D2 memberOf dateAndTime and
    ?X = daysBetween(D1.date, D2.date).

axiom intervalContainment
nonFunctionalProperties
  dc:description hasValue "computes if a interval ?X contains a second interval ?Y"
endNonFunctionalProperties
definedBy
  contains(?X, ?Y) <-
    ?X memberOf interval and ?Y memberOf interval and
    (?X.start < ?Y.start or ?X.start = ?Y.start) and
    (?X.end > ?Y.end or ?X.end = ?Y.end).

axiom instantContainment
nonFunctionalProperties
  dc:description hasValue "computes if a interval ?X contains a instant ?Y"
endNonFunctionalProperties
definedBy
  contains(?X, ?Y) <-
    ?X memberOf interval and ?Y memberOf instant and
    (?X.start < ?Y or ?X.start = ?Y) and
    (?X.end > ?Y or ?X.end = ?Y).

```

3.1.3 Purchase Ontology

The Purchase Ontology describes the domain of purchasing within a B2C scenario. In order to base this ontology on existing, commonly accepted conceptual models for purchasing, RosettaNet's PIP3A4 "PurchaseOrderRequest" [\[RosettaNet\]](#) has been transformed into a WSMO ontology. However, RosettaNet as well as the other existing conceptual models for purchasing like ebXML [\[ebXML\]](#) and EDIFACT [\[EDIFACT\]](#) are designed for B2B purchase scenarios and thus not applicable for B2C settings as the one of this use case. Because of this, the Purchase Ontology defined in the following listing describes ontological notions relevant for purchasing within a B2C setting. We refer to the WSMO representation of RosettaNet's PIP3A4 "PurchaseOrderRequest" which is provided in listing B5, [Appendix B](#), denoting the related concepts within the relation attribute of the non functional properties.

The main constructs of the Purchase Ontology are :

- **Purchase:** the overall construct that holds all aspects for a purchase where a buyer buys a product from a seller
- **Purchase Order:** specifies the product, payment, and delivery terms of a purchase
- **Purchase Partners:** the parties involved in a purchase, i.e. buyer and seller
- **Product:** information about a product provided by a seller
- **Payment:** specifies notions of payment within B2C purchasing
- **Delivery:** specifies delivery methods for delivering a purchased product from the seller to the buyer

Listing 3. Domain Ontology "Purchase"

```

namespace <<http://www.wsmo.org/ontologies/purchase#>>
  dc:<<http://purl.org/dc/elements/1.1#>>
  cu:<<http://www.wsmo.org/2004/d3/d3.2/v0.1/20040628/resources/owlCurrencyMediator.wsml#>>
  dt:<<http://www.wsmo.org/ontologies/dateTime#>>
  loc:<<http://www.wsmo.org/ontologies/location#>>
  prs:<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlPersonMediator.wsml#>>
  rn:<<http://www.wsmo.org/ontologies/rosettanet#>>
  xsd:<<http://www.w3.org/2001/XMLSchema#>>
  targetnamespace: <<http://www.wsmo.org/ontologies/purchase#>>

ontology <<http://wsmo.org/ontologies/purchase/>>

  nonFunctionalProperties
    dc:title hasValue "B2C Purchase Ontology"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"Purchase", "Purchase Order", "Buyer", "Seller", "Product", "Price", "Payment method", "Delivery"}
    dc:description hasValue "general ontology for purchasing in B2C settings, related to 3A4 PIP of RosettaNet"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValues {<<http://sw.deri.ie/~haller/foaf.rdf>>, "Michael Stollberg"}
    dc:date hasValue "2004-10-27"
    dc:type hasValue <<http://www.wsmo.org/2004/d2/#ontologies>>
    dc:format hasValue "text/html"
    dc:language hasValue "en-US"
    dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet/>>,
      <<http://www.daml.ecs.soton.ac.uk/ont/currency.daml>>,
      <<http://www.wsmo.org/ontologies/dateTime>>,
      <<http://www.wsmo.org/ontologies/location>>}
    dc:rights hasValue <<http://www.deri.org/privacy.html>>
    version hasValue "$Revision: 1.7 $"
  endNonFunctionalProperties

  importedOntologies {<<http://www.wsmo.org/ontologies/dateTime.wsml>>,
    <<http://www.wsmo.org/ontologies/location.wsml>>}

  usedMediators
    ooMediator {<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlCurrencyMediator.wsml>>,
      <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlPersonMediator.wsml>>}

/*
 * Purchase, Purchase Order
 */
  concept purchase
    nonFunctionalProperties
      dc:description hasValue "a purchase for a product between a buyer & a seller"
      dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#pip3A4Purchase>>}
    endNonFunctionalProperties
    purchaseIdentifier ofType identifier
    purchaseOrder ofType purchaseOrder
    buyer ofType buyer
    seller ofType seller

  concept identifier subConceptOf xsd:string
    nonFunctionalProperties
      dc:description hasValue "Unique identifier for a thing,
        i.e. a numeric value or alphanumeric value"
      dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#proprietaryDocumentIdentifier>>}
    endNonFunctionalProperties

  concept purchaseOrder
    nonFunctionalProperties
      dc:description hasValue "The collection of business properties that
        describes the product, payment, and delivery terms of a purchase"
      dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#purchaseOrder>>}
    endNonFunctionalProperties
    product ofType set product
    payment ofType paymentMethod
    delivery ofType delivery
    contractDate ofType dt:date
    paymentTerms ofType paymentTerms
    totalPrice ofType financialAount

/*
 * Purchase Partners
 */
  concept buyer
    nonFunctionalProperties
      dc:description hasValue "the partner that buys a product in a purchase"

```

```

        dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#buyer>>}
    endNonFunctionalProperties
    contactInformation ofType contactInformation
    billToAddress ofType loc:address
    shipToAddress ofType loc:address
    hasPayment ofType set paymentMethod

concept seller
nonFunctionalProperties
    dc:description hasValue "the partner that sells a product in a purchase"
    dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#seller>>}
endNonFunctionalProperties
    contactInformation ofType contactInformation
    acceptsPaymentMethod ofType set paymentMethod

concept contactInformation
nonFunctionalProperties
    dc:description hasValue "The collection of business properties that
        provide communication and address information for
        contacting a person, organization or business."
    dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#contactInformation>>}
endNonFunctionalProperties
    name ofType xsd:string
    emailAddress ofType xsd:string
    faxnumber ofType xsd:string
    telephonenumber ofType xsd:string
    physicalAddress ofType loc:address

/*
 * Product
 */

concept product
nonFunctionalProperties
    dc:description hasValue "The collection of business properties that
        describes a product."
    dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#productLineItem>>}
endNonFunctionalProperties
    productIdentification ofType productIdentification
    item ofType set productItem
    provider ofType seller
    price ofType financialAmount

concept productItem
nonFunctionalProperties
    dc:description hasValue "a placeholder for an item that is provided for sale by a
        seller. Any concept can be declared as a subconcept of productItem"
endNonFunctionalProperties

concept financialAmount
nonFunctionalProperties
    dc:description hasValue "The collection of business properties
        that describe the monetary amount defined by a specified currency."
    dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#financialAmount>>}
endNonFunctionalProperties
    monetaryamount ofType xsd:float
    globalcurrencycode ofType cu:currency
    invoicechargepostcode ofType xsd:string
nonFunctionalProperties
    dc:description hasValue "Code identifying the values for the types of charges contained in an invoice."
endNonFunctionalProperties

/*
 * Payment Methods
 */

concept paymentMethod
nonFunctionalProperties
    dc:description hasValue "superconcept of payment methods"
endNonFunctionalProperties

concept creditCard subConceptOf paymentMethod
nonFunctionalProperties
    dc:description hasValue "payment method credit card"
endNonFunctionalProperties
    type ofType creditCardType
    creditCardNumber ofType xsd:integer
    holder ofType xsd:string
    expMonth ofType dt:monthOfYear

```

expYear **ofType** dt:year

concept creditCardType

nonFunctionalProperties

dc:description **hasValue** "specifies type of credit card. This is a unique code defined by the first 4 digits of the credit card number; thus, we we would have the knowledge for decoding these digits, the credit card type could be inferred from the credit card number."

endNonFunctionalProperties

concept invoice **subConceptOf** paymentMethod

nonFunctionalProperties

dc:description **hasValue** "payment **method** invoice"

endNonFunctionalProperties

invoiceNumber **ofType** xsd:string

payer **ofType** buyer

receiver **ofType** seller

receiverAccount **ofType** account

concept check **subConceptOf** paymentMethod

nonFunctionalProperties

dc:description **hasValue** "payment **method** check"

endNonFunctionalProperties

checkNumber **ofType** xsd:integer

drawer **ofType** buyer

receiver **ofType** seller

drawerAccount **ofType** account

concept cash **subConceptOf** paymentMethod

nonFunctionalProperties

dc:description **hasValue** "payment **method** cash"

endNonFunctionalProperties

payer **ofType** buyer

receiver **ofType** seller

concept account

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe a bank account."

dc:relation **hasValues** {<<http://wsmo.org/ontologies/rosettanet#accountDescription>>}

endNonFunctionalProperties

accountnumber **ofType** xsd:string

holder **ofType** prs:person

provider **ofType** financialInstitute

globalaccountclassificationcode **ofType** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Account classification indicating its functionality, e.g., credit card **or** a giro account."

endNonFunctionalProperties

concept financialInstitute

nonFunctionalProperties

dc:description **hasValue** "an organization that provides financial services."

endNonFunctionalProperties

name **ofType** xsd:string

contactInformation **ofType** contactInformation

concept bank **subConceptOf** financialInstitute

nonFunctionalProperties

dc:description **hasValue** "specifies a bank (financial institute)"

endNonFunctionalProperties

bankIdentifierCode **ofType** xsd:string

nonFunctionalProperties

dc:description **hasValue** "the (inter)national code of the bank"

endNonFunctionalProperties

/*

* Payment Terms

*/

concept paymentTerms

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe payment terms."

dc:relation **hasValues** {<<http://wsmo.org/ontologies/rosettanet#paymentTerms>>}

endNonFunctionalProperties

discounts **ofType** discounts

globalpaymentconditioncode **ofType** xsd:string

```

    nonFunctionalProperties
      dc:description hasValue "A code identifying the conditions
        under which payment will be made."
    endNonFunctionalProperties
  nettermsday ofType dt:dayOfMonth
  nonFunctionalProperties
    dc:description hasValue "The specific day of the month
      a payment is due without incurring late charges."
    endNonFunctionalProperties
  nettermsdays ofType dt:interval
  nonFunctionalProperties
    dc:description hasValue "The number of days within
      which a payment is due without incurring late charges."
    endNonFunctionalProperties
  percentdue ofType xsd:float
  nonFunctionalProperties
    dc:description hasValue "The amount owed expressed as a percentage."
    endNonFunctionalProperties

concept discounts
  nonFunctionalProperties
    dc:description hasValue "The collection of business properties that describe payment discounts."
    dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#discounts>>}
  endNonFunctionalProperties
  discountday ofType dt:dayOfMonth
  nonFunctionalProperties
    dc:description hasValue "The specific day of the month a
      payment is required in order to receive a discount."
    endNonFunctionalProperties
  discountdays ofType dt:interval
  nonFunctionalProperties
    dc:description hasValue "The number of days within which a
      payment is required in order to receive a discount."
    endNonFunctionalProperties
  discountpercent ofType xsd:float
  nonFunctionalProperties
    dc:description hasValue "The financial percent representing a reduction to the total amount due."
    endNonFunctionalProperties

/*
 * Delivery
 */

concept delivery
  nonFunctionalProperties
    dc:description hasValue "superconcept of delivery methods. one instance of a
      delivery is a main function of the marketplace in addition to purchase contracting."
  endNonFunctionalProperties
  deliveryItem ofType set product
  sender ofType seller
  receiver ofType buyer

concept dropShip subConceptOf delivery
  nonFunctionalProperties
    dc:description hasValue "delivery directly to the buyer shipping address by a delivery service"
    dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#isDropShip>>}
  endNonFunctionalProperties
  carrier ofType dropShipCarrier

concept dropShipCarrier
  nonFunctionalProperties
    dc:description hasValue "a company that provides a drop ship delivery service"
    dc:relation hasValues {<<http://wsmo.org/ontologies/rosettanet#carrierInformation>>}
  endNonFunctionalProperties
  contactInformation ofType contactInformation
  businessIdentifier ofType rn:globalBusinessIdentifier
  transportBy ofType transportationMean
  deliveryCoverage ofType loc:location

concept transportationMean
  nonFunctionalProperties
    dc:description hasValue "mean of transportation used by a drop ship delivery service"
  endNonFunctionalProperties

concept selfCollection subConceptOf delivery
  nonFunctionalProperties
    dc:description hasValue "buyer collects purchased "
  endNonFunctionalProperties

```

```
concept onlineDelivery subConceptOf delivery
nonFunctionalProperties
  dc:description hasValue "a product is delivery online as a piece of information"
endNonFunctionalProperties
onlineDeliveryMethod ofType xsd:string
```

3.1.4 Location Ontology

The "Location Ontology" defines concepts for locations, including cities and states, as well as postal addresses. This ontology is based on the [DAML ontology for geographical locations](#) (Appendix [B5](#)), an ontology describing a wide variety of locations and geographical areas. The concept country is extended using the [OWL-Factbook ontology](#) (Appendix [B2](#)). The concept address reuses the [DAML address ontology](#) (Appendix [B3](#)).

Listing 4. Domain Ontology "Locations"

```

namespace <<http://www.wsmo.org/ontologies/location#>>
  dc:<<http://purl.org/dc/elements/1.1#>>
  wsm1:<<http://www.wsmo.org/d2/#>>
  cnt:<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlFactbookMediator.wsm1#>>
  geo:<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlGeoMediator.wsm1#>>
  ad:<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlAddressMediator.wsm1#>>
  xsd:<<http://www.w3.org/2001/XMLSchema#>>

ontology <<http://www.wsmo.org/ontologies/location>>

  nonFunctionalProperties
    dc:title hasValue "Locations Ontology"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"Location", "Country", "State", "City", "Address"}
    dc:description hasValue "Ontology for representing locations in the current political/social system"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValues {<<http://www.deri.org/foaf#lara>>,
      <<http://homepage.uibk.ac.at/~c703262/foaf.rdf>>}
    dc:date hasValue "2004-10-04"
    dc:type hasValue <<http://www.wsmo.org/2004/d2#ontologies>>
    dc:format hasValue "text/html"
    dc:language hasValue "en-US"
    dc:identifier hasValue <<http://www.wsmo.org/ontologies/location>>
    dc:source hasValue <<http://www.daml.org/2001/02/geofile/geofile-ont>>
    dc:language hasValue "en-US"
    dc:relation hasValues {<<http://www.daml.org/2001/09/countries/fips-10-4-ont>>,
      <<http://www.daml.org/2001/09/countries/iso-3166-ont>>,
      <<http://www.daml.org/2003/09/factbook/factbook-ont>>,
      <<http://www.daml.org/2001/02/geofile/geofile-ont>>,
      <<http://daml.umbc.edu/ontologies/ittalks/address>>}
    dc:coverage hasValue "ID:7029392 Name:World"
    dc:rights hasValue <<http://www.deri.org/privacy.html>>
    version hasValue "$Revision: 1.3 $"
  endNonFunctionalProperties

  usedMediators {<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlFactbookMediator.wsm1#>>,
    <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlAddressMediator.wsm1#>>,
    <<http://www.daml.org/2004/d3/d3.3/v0.1/20041008/resources/owlGeoMediator.wsm1#>>}

  concept country subConceptOf {cnt:country, geo:country}
    nonFunctionalProperties
      dc:description hasValue "Add the codes to the CIA country properties"
    endNonFunctionalProperties
    fipsCode ofType xsd:string
    nonFunctionalProperties
      dc:description hasValue "FIPS 10-4 Country Code"
    endNonFunctionalProperties
    isoCode ofType xsd:string
    nonFunctionalProperties
      dc:description hasValue "ISO 3166 Country Code"
    endNonFunctionalProperties

  concept address subConceptOf ad:address
    nonFunctionalProperties
      dc:description hasValue "Extended address, adding more details to
        city, state and country"
    endNonFunctionalProperties
    city ofType city
    state ofType state
    country ofType country

  concept city subConceptOf geo:city
    nonFunctionalProperties
      dc:description hasValue "City"
    endNonFunctionalProperties
    population ofType xsd:integer
    extension ofType xsd:integer
    nonFunctionalProperties
      dc:description hasValue "Extension of the city in square kilometers"
    endNonFunctionalProperties
    zipcodes ofType set xsd:string

  concept state subConceptOf geo:state
    nonFunctionalProperties
      dc:description hasValue "State"
    endNonFunctionalProperties
    cities ofType set city
    population ofType xsd:integer
    extension ofType xsd:integer

```

```

concept border subConceptOf geo:geographicLocation
  nonFunctionalProperties
    dc:description hasValue "Border between two countries. Notice that it
      would be more natural to model this as a location with a cardinality
      constraint = 2 for the country property. However, it is not clear
      how to do this in F-Logic"
  endNonFunctionalProperties
  countryA ofType country
  countryB ofType country

concept distance
  nonFunctionalProperties
    dc:description hasValue "Distance between two points"
  endNonFunctionalProperties
  amount ofType xsd:float
  units ofType xsd:string

axiom validDistance
  nonFunctionalProperties
    dc:description hasValue "The amount in a distance cannot be less than 0.
      We only accept kilometers and miles."
  endNonFunctionalProperties
  definedBy
    constraint
      ?D[
        amount hasValue ?A,
        units hasValue ?U
      ]memberOf distance
      and ?A < 0
      and not (U="Kilometers" or U="Miles").

function kilometers
  nonFunctionalProperties
    dc:description hasValue "Calculates a distance in kilometers"
  endNonFunctionalProperties
  d ofType distance
  range ofType xsd:float
  definedBy
    forAll ?x,?y ( kilometers[d hasValue ?d, result hasValue ?y] equivalent
      ?d[
        amount hasValue ?a,
        units hasValue ?u
      ] and
      ((?u="Kilometers" and ?y=?a) or
        (?a="Miles" and ?y=?a*1.609344))).

function miles
  nonFunctionalProperties
    dc:description hasValue "Calculates a distance in miles"
  endNonFunctionalProperties
  d ofType distance
  range ofType xsd:float
  definedBy
    forAll ?x,?y ( miles[d hasValue ?d, result hasValue ?y] equivalent
      ?d[
        amount hasValue ?a,
        units hasValue ?u
      ] and
      ((?u="Miles" and ?y=?a) or
        (?a="Kilometers" and ?y=?a/1.609344))).

relation equalDistance
  nonFunctionalProperties
    dc:description hasValue "Computes equality of a distance"
  endNonFunctionalProperties
  d1 ofType distance
  d2 ofType distance
  definedBy
    forAll ?x,?y ( equalDistance[d1 hasValue ?x, d2 hasValue ?y] equivalent
      kilometers(?x,?k1) and kilometers(?y,?k2) and ?k1=?k2).

relation lessThanDistance
  nonFunctionalProperties
    dc:description hasValue "Computes -less than- for a distance"
  endNonFunctionalProperties
  d1 ofType distance
  d2 ofType distance

```

definedBy

forAll ?x,?y (equalDistance[d1 **hasValue** ?x, d2 **hasValue** ?y] **equivalent**
kilometers(?x,?k1) **and** kilometers(?y,?k2) **and** ?k1<?k2).

relation moreThanDistance**nonFunctionalProperties**

dc:description **hasValue** "Computes -more than- for a distance"

endNonFunctionalProperties

d1 **ofType** distance

d2 **ofType** distance

definedBy

forAll ?x,?y (equalDistance[d1 **hasValue** ?x, d2 **hasValue** ?y] **equivalent**
kilometers(?x,?k1) **and** kilometers(?y,?k2) **and** ?k1>?k2).

3.1.5 VTA Use Case Knowledge Base

The VTA Use Case Knowledge Base holds all instance data that are needed within the use case descriptions. The knowledge base is defined as an WSMO ontology that holds instances of all four domain ontologies defined above. Within this knowledge base, only a selection of instances is defined that is used within the subsequent WSMO component models.

Listing 5. VTA Use Case Knowledge Base

```

/**
 * VTA Use Case Knowledge Base
 * this is a collection of pre-defined data for the WSMO D3.3 VTA Use Case
 */

namespace <<http://www.wsmo.org/ontologies/kb.wsml#>>
  dc:<<http://purl.org/dc/elements/1.1#>>
  wsml:<<http://www.wsmo.org/2004/d16/d16.1/v0.2/20040418#>>
  tc:<<http://www.wsmo.org/ontologies/trainConnection#>>
  dt:<<http://www.wsmo.org/ontologies/dateTime#>>
  tc:<<http://www.wsmo.org/ontologies/trainConnection#>>
  po:<<http://www.wsmo.org/ontologies/purchase#>>
  cu:<<http://www.wsmo.org/2004/d3/d3.2/v0.1/20040628/resources/owlCurrencyMediator.wsml#>>
  loc:<<http://www.wsmo.org/ontologies/location#>>

ontology <<http://www.wsmo.org/ontologies/kb.wsml#>>

nonFunctionalProperties
  dc:title hasValue "VTA Use Case Knowledge Base"
  dc:creator hasValue "SWF Project"
  dc:subject hasValues {dt:dateandtime, po:paymentMethods, loc:location}
  dc:description hasValue "describes pre-defined instance data for the VTA Use Case"
  dc:publisher hasValue "SWF Project"
  dc:contributor hasValue "Michael Stollberg, Holger Lausen, Ruben Lara, Axel Polleres, Armin Haller"
  dc:date hasValue "2004-10-27"
  dc:type hasValue <<http://www.wsmo.org/2004/d2/#ontologies>>
  dc:format hasValue "text/html"
  dc:language hasValue "en-US"
  dc:relation hasValues {<<http://www.wsmo.org/ontologies/dateTime>>,
    <<http://www.wsmo.org/ontologies/trainConnection>>,
    <<http://www.wsmo.org/ontologies/purchase>>,
    <<http://www.wsmo.org/ontologies/location>>}
  dc:coverage hasValue "VTA virtual marketplace"
  dc:rights hasValue <<http://www.deri.org/privacy.html>>
  version hasValue "$Revision: 1.2 $"
endNonFunctionalProperties

importedOntologies {<<http://www.wsmo.org/ontologies/dateTime>>,
  <<http://www.wsmo.org/ontologies/trainConnection>>,
  <<http://www.wsmo.org/ontologies/purchase>>,
  <<http://www.wsmo.org/ontologies/location>>}

usedMediators ooMediator <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlCurrencyMediator.wsml#>>

// Station instances

instance innsbruckHbf memberOf station
  nonFunctionalProperties
    dc:description hasValue "Innsbruck central station"
  endNonFunctionalProperties
  name hasValue "Innsbruck Hbf"^^xsd:string
  code hasValue "INN"^^xsd:string
  locatedIn hasValues {loc:innsbruck}

instance frankfurtHbf memberOf station
  name hasValue "Frankfurt Hbf"^^xsd:string
  code hasValue "FKF"^^xsd:string
  locatedIn hasValues {loc:frankfurt}

// Date and Time Instance

comment: the current date is defined as an instance here, as there is no build in function available for this at the moment.

instance currentDate memberOf dt:dateandtime
  date hasValue currentDateDate
  time hasValue currentDateTime

instance currentDateDate memberOf dt:date
  dayOfMonth hasValue 22
  monthOfYear hasValue 5
  year hasValue 2004

instance currentDateTime memberOf dt:time
  hourOfDay hasValue 15
  minuteOfHour hasValue 27
  secondOfMinute hasValue 38

```

```

// Locations
instance europe memberOf loc:continent
  name hasValue "Europe"

instance austria memberOf country
  fipsCode hasValue "AU"^^xsd:string
  isoCode hasValue "AT"^^xsd:string

instance germany memberOf country
  fipsCode hasValue "GM"^^xsd:string
  isoCode hasValue "DE"^^xsd:string

instance usa memberOf country
  fipsCode hasValue "US"^^xsd:string
  isoCode hasValue "US"^^xsd:string

instance massachusetts memberOf state
  name hasValue "Massachusetts"^^xsd:string
  locatedIn hasValue usa

instance innsbruck memberOf city
  name hasValue "Innsbruck"^^xsd:string
  locatedIn hasValue austria

instance frankfurt memberOf city
  name hasValue "Frankfurt"^^xsd:string
  locatedIn hasValue germany

instance boston memberOf city
  name hasValue "Boston"^^xsd:string
  locatedIn hasValue usa

/*
* Drop Ship Deliverers
*/
instance PostAt http://www.post.at/ memberOf po:dropShipCarrier
  name hasValue "Oesterreichische Post AG"
  companyNumber hasValue "post"
  contactaddress hasValue PostATAddress
  transportBy hasValue truck
  deliveryCoverage hasValue europe

instance PostATAddress memberOf loc:address
  street hasValue "Südtiroler Platz"
  number hasValue "5-7 "
  city hasValue innsbruck
  zip hasValue 6020

// transportation means

instance truck memberOf po:transportationMean

instance train memberOf po:transportationMean

instance plane memberOf po:transportationMean

/*
* currencies - only Euro, as the marketplace is limited to Austria
*/
instance euro memberOf cu:currency
  name hasValue "Euro"
  code hasValue "EUR"

/*
* payment methods
*/
instance masterCard memberOf po:creditCardType

instance visa memberOf po:creditCardType

instance amercianExpress memberOf po:creditCardType

```

3.2. Goals

Goals denote what a user wants as the result of the Web Service. For modeling the goal, WSMO describes the information elements that the user wants to get from the service (the postcondition) together with the state of the world desired after the service execution (the effect).

In WSMO, Goals can be defined a different levels of granularity. By so-called GG Mediators, new, more specific Goals can be created out of generic existing Goals. You can also think of generic Goals as being pre-defined in a specific application context, wherefrom concrete Goals can be generated from. In order to showcase this, we define a generic Goal for buying a ticket for any kind of trip (Listing 6), a concrete Goal wherein a user wants to buy a train itinerary from Innsbruck to Frankfurt on a certain date (Listing 7), and a GG Mediator that connects the generic Goal to tickets for traintrips within Austria and Germany (see [Section 3.4.3](#) for the GG Mediator that connects this two Goals).

Listing 6 shows the generic Goal with the following description elements:

- **postcondition:** A purchase for a buyer with a ticket as the product
- **effect:** the purchased ticket is delivered to the buyer

Listing 6: Goal - buying a ticket online

```

namespace <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/resources/GeneralTrainTrip#>>
  dc:<<http://purl.org/dc/elements/1.1#>>
  tc:<<http://www.wsmo.org/ontologies/trainConnection#>>
  po:<<http://www.wsmo.org/ontologies/purchase#>>
  loc:<<http://www.wsmo.org/ontologies/location#>>

goal <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/resources/goal1.wsml>>

  nonFunctionalProperties
    dc:title hasValue "Buying a ticket online"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"Tickets", "Online Ticket Booking", "trip"}
    dc:description hasValue "Express the goal of buying a ticket for a trip"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValues {"Michael Stollberg",
      <<http://www.deri.org/foaf#lara>>,
      <<http://homepage.uibk.ac.at/~c703240/foaf.rdf>>,
      <<http://homepage.uibk.ac.at/~c703262/foaf.rdf>>}
    dc:date hasValue "2004-10-04"
    dc:type hasValue <<http://www.wsmo.org/2004/d2#goals>>
    dc:format hasValue "text/html"
    dc:identifier hasValue <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/resources/goal1.wsml>>
    dc:language hasValue "en-US"
    dc:relation hasValues {<<http://www.wsmo.org/ontologies/trainConnection>>,
      <<http://www.wsmo.org/ontologies/purchase>>,
      <<http://www.wsmo.org/ontologies/location>>}
    dc:coverage hasValue "ID:7029392 Name:World"
    dc:rights hasValue <<http://deri.at/privacy.html>>
    version hasValue "$Revision: 1.4 $"
  endNonFunctionalProperties

  importedOntologies {<<http://www.wsmo.org/ontologies/trainConnection>>,
    <<http://www.wsmo.org/ontologies/purchase>>,
    <<http://www.wsmo.org/ontologies/location>>}

  postcondition
    axiom purchasingTicketForTrip
      nonFunctionalProperties
        dc:description hasValue "This goal expresses the general desire of buying a ticket for
          any kind of itinerary."
      endNonFunctionalProperties
      definedBy
        exists ?Purchase, ?Purchaseorder, ?Buyer, ?Product, ?PaymentMethod, ?Ticket, ?Itinerary, ?Passenger, ?Trip
        (?Purchase memberOf po:purchase[
          po:purchaseorder hasValue ?Purchaseorder,
          po:buyer hasValue ?Buyer
        ] and
        ?Buyer memberOf po:buyer and
        ?Purchaseorder memberOf po:purchaseOrder[
          po:product hasValues {?Product},
          po:payment hasValue ?PaymentMethod
        ] and
        ?PaymentMethod memberOf po:paymentMethod and
        ?Product memberOf po:product[
          po:item hasValues {?Ticket}
        ] and
        ?Ticket memberOf tc:ticket[
          po:itinerary hasValue ?Itinerary
        ] and
        ?Itinerary memberOf tc:itinerary[
          po:passenger hasValue ?Passenger,
          po:trip hasValue ?Trip
        ] and
        ?Passenger memberOf tc:person and
        ?Trip memberOf tc:trip) .

  effect
    axiom havingTradeForTrip
      nonFunctionalProperties
        dc:description hasValue "The goal effect is to get the purchased ticket delivered
          to the buyer."
      endNonFunctionalProperties
      definedBy
        exists ?Delivery, ?Product, ?Buyer, ?Ticket
        (
          ?Delivery memberOf po:delivery[
            po:deliveryItem hasValues {?Product},
            po:receiver hasValue ?Buyer
          ]
        )

```

```
] and
?Product memberOf po:product[
  po:item hasValues {?Ticket}
] and
?Buyer memberOf po:buyer and
?Ticket memberOf tc:ticket
).
```

The concrete Goal expresses the desire to buy a train ticket by refining the notions of the general Goal. Listing 7 shows this Goal with the following elements:

- **postcondition:** A purchase for a train ticket for a train trip from Innsbruck to Frankfurt on July, 17th 2004, departure between 6 and 7 p.m.; Tim Berners-Lee is the buyer as well as the passenger for whom the ticket is valid.
- **effect:** the ticket shall be delivered to Tim Berners-Lee's shipping address by online delivery via email.

Listing 7: Goal - buying a train ticket from Innsbruck to Frankfurt online

```

namespace <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/resources/SpecificTrainTriplnnsbruckFrankfurt#>>
  dc:<<http://purl.org/dc/elements/1.1#>>
  dt:<<http://www.wsmo.org/ontologies/dateTime#>>
  tc:<<http://www.wsmo.org/ontologies/trainConnection#>>
  po:<<http://www.wsmo.org/ontologies/purchase#>>
  loc:<<http://www.wsmo.org/ontologies/location#>>
  kb:<<http://www.wsmo.org/ontologies/kb#>>
  wsml:<<http://www.wsmo.org/2004/d2/#>>
  xsd:<<http://www.w3.org/2001/XMLSchema#>>

goal <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/resources/goal.wsml>>

nonFunctionalProperties
  dc:title hasValue "Buying a train ticket from Innsbruck to Frankfurt on..."
  dc:creator hasValue "DERI International"
  dc:subject hasValues {"Train Tickets", "Online Ticket Booking", "Train trip"}
  dc:description hasValue "Express the goal of buying a concrete ticket for a train trip"
  dc:publisher hasValue "DERI International"
  dc:contributor hasValues{"Michael Stollberg",
    <<http://www.deri.org/foaf#lara>>,
    <<http://homepage.uibk.ac.at/~c703240/foaf.rdf>>,
    <<http://homepage.uibk.ac.at/~c703262/foaf.rdf>>,
    <<http://www.deri.org/foaf#haller>>}
  dc:date hasValue "2004-10-04"
  dc:type hasValue <<http://www.wsmo.org/2004/d2#goals>>
  dc:format hasValue "text/html"
  dc:identifier hasValue <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/goal.wsml>>
  dc:language hasValue "en-US"
  dc:relation hasValues {<<http://www.wsmo.org/ontologies/dateTime>>,
    <<http://www.wsmo.org/ontologies/trainConnection>>,
    <<http://www.wsmo.org/ontologies/purchase>>,
    <<http://www.wsmo.org/ontologies/location>>}
  dc:coverage hasValue "ID:7029392 Name:World"
  dc:rights hasValue <<http://deri.at/privacy.html>>
  version hasValue "$Revision: 1.4 $"
endNonFunctionalProperties

// all mediators and ontologies are inherited from the GG Mediator

usedMediators
  ggMediator <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041105/resources/ggm1.wsml>>

importedOntologies {<<http://www.wsmo.org/ontologies/dateTime>>, <<http://www.wsmo.org/ontologies/kb>>}

// the constants defined in the logical expressions refer to instances defined in the VTA Use Case Knowledge Base

postcondition
  axiom purchasingTicketForSpecificTraintrip
    nonFunctionalProperties
      dc:description hasValue "The goal postcondition specifies that Tim Berners-Lee wants
        to go buy a train ticket from Innsbruck to Frankfurt, departing from innsbruckHbf
        on 17th July 2004 at 6 p.m."
    endNonFunctionalProperties
    definedBy
      exists ?Purchase, ?Purchaseorder, ?Buyer, ?Product, ?PaymentMethod, ?Ticket, ?Itinerary, ?Passenger, ?Trip,
        ?DepartureTime, ?DepartureDate, ?Departure, ?TBLAddress, ?TBLContactInformation
      (
        ?Purchase memberOf po:purchase[
          po:purchaseorder hasValue ?Purchaseorder,
          po:buyer hasValue ?Buyer
        ] and
        ?Buyer memberOf po:buyer[
          po:contactInformation hasValue ?TBLContactInformation,
          po:billToAddress hasValue ?TBLAddress,
          po:hasPayment hasValues {?PaymentMethod}
        ] and
        ?TBLContactInformation memberOf po:contactInformation[
          po:name hasValue "Tim Berners-Lee",
          po:emailaddress hasValue "tbl@w3c.org"
        ] and
        ?TBLAddress memberOf loc:address[
          po:streetAddress hasValue "32 Vassar Street",
          po:city hasValue boston,
          po:state hasValue massachusetts,
          po:country hasValue usa
        ] and
        ?Purchaseorder memberOf po:purchaseOrder[

```

```

    po:product hasValues {?Product},
    po:payment hasValue ?PaymentMethod
  ] and
  ?PaymentMethod memberOf po:creditCard[
    po:type hasValue masterCard,
    po:creditCardNumber hasValue 5535446466867747,
    po:holder hasValue "Tim Berners-Lee",
    po:expMonth hasValue 09,
    po:expYear hasValue 2007
  ] and
  ?Product memberOf po:product[
    po:item hasValues {?Ticket}
  ] and
  ?Ticket memberOf tc:ticket[
    po:itinerary hasValue ?Itinerary
  ] and
  ?Itinerary memberOf tc:itinerary[
    po:passenger hasValue ?Passenger,
    po:trip hasValue ?Trip
  ] and
  ?Passenger memberOf tc:person[
    po:name hasValue "Tim Berners-Lee"
  ] and
  ?Trip memberOf tc:trainTrip[
    po:start hasValue kb:innsbruckHbf,
    po:end hasValue kb:frankfurtHbf,
    po:departure hasValue ?Departure
  ] and
  ?Departure memberOf dt:dateAndTime[
    dt:date hasValue ?DepartureDate,
    dt:time hasValue ?DepartureTime
  ] and
  ?DepartureDate memberOf dt:date[
    dt:dayOfMonth hasValue 17,
    dt:monthOfYear hasValue 07,
    dt:year hasValue 2004
  ] and
  ?DepartureTime memberOf dt:time[
    dt:hourOfDay hasValue 18
  ]
  ]
  ).

effect
  axiom getTicketDelivererd
  nonFunctionalProperties
    dc:description hasValue "The goal effect that a ticket is delivered via emial."
  endNonFunctionalProperties
  definedBy
    exists ?Delivery, ?Product, ?Buyer(
      ?Delivery memberOf po:onlineDelivery[
        po:deliveryItem hasValues {?Product},
        po:receiver hasValue ?Buyer,
        po:onlineDeliveryMethod hasValue "email"
      ] and
      ?Product memberOf po:product[
        po:item hasValues {?Ticket}
      ] and
      ?Ticket memberOf tc:ticket
    )
  )
  .

```

3.3 Web Services

We define one (imaginary) Web Service in this use case: an end-user service (means that the user interacts with this service) for purchasing international train tickets offered by the Austrian national train operator ÖBB; this Web Service can be composed of other Web Services, each for the search and buying facility of international train tickets. This setting allows modeling all notions of a WSMO Web Service description: a Capability of the end-user service and its Choreography for user-service interaction, as well as the orchestration which incorporates the aggregated Web Services. The current version of WSMO Standard does only provide a stable

specification for describing Capabilities, the model below is restricted to the overall Web Service description and the Capability definition. The modeling for the WSMO Web Service Interface will be added in a later version.

A Web Service Capability in WSMO is described by pre- and postconditions, assumptions and effects, as defined in [Roman et al., 2004]. Listing 8 shows the ÖBB Web Service description, currently the Capability only. More detailed discussion of the Discovery mechanism of WSMO Goals and Capabilities is provided in section [3.1.3](#). The Capability description elements are defined as follows:

- **precondition:** the input has to be the information about the buyer, a train trip that a ticket is to be purchased for, and information on the passenger for whom the ticket shall be valid. To be valid input, the following restrictions are defined for the trip: the start and end locations are restricted to stations in Austria or Germany; the departure date for the trip has to be after the current date; and the payment method of the buyer has to be a credit card.
- **assumption:** the credit card submitted as input has to be valid (not expired).
- **postcondition:** the service returns a purchase for train tickets valid in Austria and Germany by the ÖBB as the provider, with payment by credit card only.
- **effect:** the sold ticket is delivered to the buyer shipping address, either by a drop ship carrier or via online delivery.

Listing 8: ÖBB Web Service for Booking Online Train Tickets for Austria and Germany

```

namespace <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/resources/VTAService#>>
  dc: <<http://purl.org/dc/elements/1.1#>>
  dt: <<http://www.wsmo.org/ontologies/dateTime#>>
  tc: <<http://www.wsmo.org/ontologies/trainConnection#>>
  po: <<http://www.wsmo.org/ontologies/purchase#>>
  loc: <<http://www.wsmo.org/ontologies/location#>>
  ucase:<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041105/resources/>>
  targetnamespace: <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/resources/ws#>>

webservice <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/resources/ws.wsml>>

nonFunctionalProperties
  dc:title hasValue "OEBB Online Ticket Booking Web Service"
  dc:creator hasValue "DERI International"
  dc:description hasValue "web service for booking online train tickets for Austria and Germany"
  dc:publisher hasValue "DERI International"
  dc:contributor hasValues {"Michael Stollberg", "Ruben Lara", "Holger Lausen"}
  dc:date hasValue "2004-10-04"
  dc:type hasValue <<http://www.wsmo.org/2004/d2/#webservice>>
  dc:format hasValue "text/html"
  dc:language hasValue "en-us"
  dc:relation hasValues {<<http://www.wsmo.org/ontologies/dateTime>>,
    <<http://www.wsmo.org/ontologies/trainConnection>>,
    <<http://www.wsmo.org/ontologies/purchase>>,
    <<http://www.wsmo.org/ontologies/location>>}
  dc:coverage hasValues {tc:austria, tc:germany}
  dc:rights hasValue <<http://deri.at/privacy.html>>
  version hasValue "$Revision: 1.5 $"
endNonFunctionalProperties

importedOntologies {<<http://www.wsmo.org/ontologies/dateTime>>,
  <<http://www.wsmo.org/ontologies/trainConnection>>,
  <<http://www.wsmo.org/ontologies/purchase>>,
  <<http://www.wsmo.org/ontologies/location>>}

capability oebbWSCapability
  precondition
    axiom oebbWSprecondition
      nonFunctionalProperties
        dc:description hasValue "The oebbWSprecondition puts the following conditions on the
          input: it has to include a buyer with a billTo and a shipTo
          address, and credit card as a paymentMethod, and trip with the start- and
          endlocation have to be in Austria or in Germany, and the departure date
          has to be later than the current date. "
      endNonFunctionalProperties
    definedBy
      forAll ?Buyer, ?BuyerBilltoAddress, ?BuyerShiptoAddress, ?BuyerPaymentMethod,
        ?Trip, ?Start, ?End, ?Departure (
        ?Buyer memberOf po:buyer[
          po:billToAddress hasValue ?BuyerBilltoAddress,
          po:shipToAddress hasValue ?BuyerShiptoAddress,
          po:hasPaymentMethod hasValues {?BuyerPaymentMethod}
        ] and
        ?BuyerBilltoAddress memberOf loc:address and
        ?BuyerShiptoAddress memberOf loc:address and
        ?BuyerPaymentMethod memberOf po:creditCard and
        ?Trip memberOf tc:trainTrip[
          tc:start hasValue ?Start,
          tc:end hasValue ?End,
          tc:departure hasValue ?Departure
        ] and
        (?Start.locatedIn = austria or ?Start.locatedIn = germany) and
        (?End.locatedIn = austria or ?End.locatedIn = germany) and
        dt:after(?Departure,currentDate)
      ).

    postcondition
      axiom oebbWSpostcondition
        nonFunctionalProperties
          dc:description hasValue "the output of the service is a purchase for a ticket for train trips wherefore
            the start- and endlocation have to be in Austria or in Germany and
            the departure date has to be later than the current Date."
        endNonFunctionalProperties
      definedBy
        forAll ?Purchase, ?Seller, ?OEBBContactInformation, ?Purchaseorder, ?PaymentMethod, ?Product, ?Ticket,
          ?Itinerary, ?Trip, ?Start, ?End
        (
          ?Purchase memberOf po:purchasef

```

```

        purchaseorder hasValue ?Purchaseorder,
        seller hasValue ?Seller
    ] and
    ?Seller memberOf po:seller[
        contactInformation hasValue ?OEBBContactInformation,
        acceptsPaymentMethod hasValues {?PaymentMethod}
    ] and
    ?OEBBContactInformation memberOf po:contactInformation[
        name hasValue "Oesterreichische Bundesbahn",
        emailAddress hasValue "office@oebb.at",
        physicalAddress hasValue ?OEBBAddress
    ] and
    ?OEBBAddress memberOf loc:address[
        streetAddress hasValue "Hauptfrachtenbahnhof 4",
        city hasValue innsbruck,
        country hasValue austria
    ] and
    ?Purchaseorder memberOf po:purchaseOrder[
        product hasValues {?Product},
        payment hasValue ?PaymentMethod
    ] and
    ?PaymentMethod memberOf po:creditCard and
    ?Product memberOf po:product[
        item hasValues {?Ticket}
    ] and
    ?Ticket memberOf tc:ticket[
        itinerary hasValue ?Itinerary
    ] and
    ?Itinerary memberOf tc:itinerary[
        trip hasValue ?Trip
    ] and
    ?Trip memberOf tc:trainTrip[
        start hasValue ?Start,
        end hasValue ?End,
        departure hasValue ?Departure
    ] and
    (?Start.locatedIn = austria or ?Start.locatedIn = germany) and
    (?End.locatedIn = austria or ?End.locatedIn = germany) and
    dt:after(?Departure,currentDate)
).

```

effect

axiom oebbWSeffect

nonFunctionalProperties

dc:description **hasValue** "the sold ticket is delivered to the buyer via a drop ship carrier **or** via email."

endNonFunctionalProperties**definedBy**

forAll ?Delivery, ?Product, ?Buyer, ?BuyerShipToAddress, ?Seller, ?OEBBContactInformation, ?OEBBAddress

(

((?Delivery **memberOf** po:dropShipDelivery[

deliveryItem **hasValues** {?Product},

receiver **hasValue** ?Buyer,

sender **hasValue** ?Seller,

carrier **hasValue** PostAt

]) **or**

(?Delivery **memberOf** po:onlineDelivery[

deliveryItem **hasValues** {?Product},

receiver **hasValue** ?Buyer,

onlineDeliveryMethod **hasValue** "email"

])) **and**

?Product **memberOf** po:product[

item **hasValues** {?Ticket}

] **and**

?Buyer **memberOf** po:buyer[

shipToAddress **hasValue** ?BuyerShipToAddress

] **and**

?BuyerShipToAddress **memberOf** loc:address **and**

?Seller **memberOf** po:seller[

contactInformation **hasValue** ?OEBBContactInformation

] **and**

?OEBBContactInformation **memberOf** po:contactInformation[

name **hasValue** "Oesterreichische Bundesbahn",

emailAddress **hasValue** "office@oebb.at",

physicalAddress **hasValue** ?OEBBAddress

] **and**

?OEBBAddress **memberOf** loc:address[

streetAddress **hasValue** "Hauptfrachtenbahnhof 4",

city **hasValue** innsbruck,

country **hasValue** austria

```

    ).
]
interface oebbWSInterface
  nonFunctionalProperties
    dc:description hasValue "describes the Interface of Web Service (not specified yet)"
  endNonFunctionalProperties
  choreography ***
  orchestration ***

```

3.4 Mediators

3.4.1 OO Mediators

OO Mediators import other ontologies or OO Mediators into WSMO entities and resolve possible terminology mismatches. If no mismatch has to be resolved the syntactical simplification "importOntologies" can be used. In the following we specify the mediators used:

1. owlAddressMediator.wsml
2. owlCurrencyMediator.wsml
3. owlFactbookMediator.wsml
4. owlPersonMediator.wsml

Listing 9: OO-Mediator "importing the OWL Address Ontology to the Location Ontology"

```

namespace
  dc:<<http://purl.org/dc/elements/1.1#>>
  wsm1:<<http://www.wsmo.org/2004/d2/#>>

ooMediator <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlAddressMediator.wsml>>
  nonFunctionalProperties
    dc:title hasValue "OO Mediator importing the OWL Factbook ontology to WSML"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"ooMediator", "Address", "Locations"}
    dc:description hasValue "Mediator to import an OWL address ontology into a WSML locations ontology"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValue <<http://homepage.uibk.ac.at/~c703262/foaf.rdf>>
    dc:date hasValue "2004-08-30"
    dc:type hasValue <<http://www.wsmo.org/2004/d2/#ooMediator>>
    dc:format hasValue "text/html"
    dc:identifier hasValue <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlAddressMediator.wsml>>
    dc:language hasValue "en-us"
    dc:relation hasValues {<<http://daml.umbc.edu/ontologies/ittalks/address>>,
      <<http://www.wsmo.org/ontologies/location>>}
    dc:coverage hasValue "ID:7029392 Name:World"
    dc:rights hasValue <<http://www.deri.org/privacy.html>>
    version hasValue "$Revision: 1.4 $"
  endNonFunctionalProperties

  source <<http://daml.umbc.edu/ontologies/ittalks/address>>

  target <<http://www.wsmo.org/ontologies/location>>

  useService <<http://138.232.65.151:8080/TranslatorService/OWL2WSML>>

```

Listing 10: OO-Mediator "importing the OWL Currency Ontology into the Purchase Ontology"

```

namespace
  dc:<<http://purl.org/dc/elements/1.1#>>
  wsm1:<<http://www.wsmo.org/2004/d2/#>>

ooMediator <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlCurrencyMediator.wsm1>>
  nonFunctionalProperties
    dc:title hasValue "OO Mediator importing the OWL Currency ontology to WSM1"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"ooMediator", "Currency", "Purchase Order"}
    dc:description hasValue "Mediator to import an OWL currency ontology into a WSM1 purchase order ontology"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValue <<http://homepage.uibk.ac.at/~c703240/foaf.rdf>>
    dc:date hasValue "2004-08-30"
    dc:type hasValue <<http://www.wsmo.org/2004/d2/#ooMediator>>
    dc:format hasValue "text/html"
    dc:identifier hasValue <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlCurrencyMediator.wsm1>>
    dc:language hasValue "en-us"
    dc:relation hasValues{<<http://www.daml.ecs.soton.ac.uk/ont/currency.daml>>,
      <<http://www.wsmo.org/ontologies/purchaseOrder>>}
    dc:coverage hasValue "ID:7029392 Name:World"
    dc:rights hasValue <<http://www.deri.org/privacy.html>>
    version hasValue "$Revision: 1.3 $"
  endNonFunctionalProperties

  source <<http://www.daml.ecs.soton.ac.uk/ont/currency.daml>>

  target <<http://www.wsmo.org/ontologies/purchaseOrder>>

  useService http://138.232.65.151:8080/TranslatorService/OWL2WSM1/

```

Listing 11: OO-Mediator "importing the OWL Factbook into the Location Ontology"

```

namespace
  dc:<<http://purl.org/dc/elements/1.1#>>
  wsm1:<<http://www.wsmo.org/2004/d2/#>>

ooMediator <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlFactbookMediator.wsm1>>
  nonFunctionalProperties
    dc:title hasValue "OO Mediator importing the OWL Factbook ontology to WSM1"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"ooMediator", "Factbook", "Locations"}
    dc:description hasValue "Mediator to import an OWL factbook ontology into a WSM1 locations ontology"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValue <<http://homepage.uibk.ac.at/~c703262/foaf.rdf>>
    dc:date hasValue "2004-08-30"
    dc:type hasValue <<http://www.wsmo.org/2004/d2/#ooMediator>>
    dc:format hasValue "text/html"
    dc:identifier hasValue <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlFactbookMediator.wsm1>>
    dc:language hasValue "en-us"
    dc:relation hasValues {<<http://www.daml.org/2003/09/factbook/factbook-ont>>,
      <<http://www.wsmo.org/ontologies/locations>>}
    dc:coverage hasValue "ID:7029392 Name:World"
    dc:rights hasValue <<http://www.deri.org/privacy.html>>
    version hasValue "$Revision: 1.3 $"
  endNonFunctionalProperties

  source <<http://www.daml.org/2003/09/factbook/factbook-ont>>

  target <<http://www.wsmo.org/ontologies/locations>>

  useService http://138.232.65.151:8080/TranslatorService/OWL2WSM1/

```

Listing 12: OO-Mediator "importing the OWL Person Ontology into the Train Connection Ontology"

```

namespace
  dc:<<http://purl.org/dc/elements/1.1#>>
  wsmli:<<http://www.wsmo.org/2004/d2/#>>

ooMediator <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlPersonMediator.wsmli>>
  nonFunctionalProperties
    dc:title hasValue "OO Mediator importing the OWL Person ontology to WSMli"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"ooMediator", "Person", "Train Connections"}
    dc:description hasValue "Mediator to import an OWL person ontology into a WSMli train connections ontology"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValue <<http://homepage.uibk.ac.at/~c703262/foaf.rdf>>
    dc:date hasValue "2004-08-30"
    dc:type hasValue <<http://www.wsmo.org/2004/d2/#ooMediator>>
    dc:format hasValue "text/html"
    dc:identifier hasValue <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlPersonMediator.wsmli>>
    dc:language hasValue "en-us"
    dc:relation hasValues {<<http://daml.umbc.edu/ontologies/ittalks/person/>>,
      <<http://www.wsmo.org/ontologies/trainConnection>>}
    dc:coverage hasValue "ID:7029392 Name:World"
    dc:rights hasValue <<http://www.deri.org/privacy.html>>
    version hasValue "$Revision: 1.3 $"
  endNonFunctionalProperties

  source <<http://daml.umbc.edu/ontologies/ittalks/person/>>

  target <<http://www.wsmo.org/ontologies/trainConnection>>

  useService http://138.232.65.151:8080/TranslatorService/OWL2WSMli/

```

Notice that the mediation service is not implemented yet. Furthermore we do not specify the capability of the mediator, since it is outside of the scope of this deliverable to define the required terminology such as an ontology about ontology languages and mediation patterns.

3.4.2 WG Mediators

A WG Mediator links a Web Service to a Goal, resolves terminological mismatches, and may state the functional difference (if any) between both. WG Mediators can be used to pre-link Services to existing Goals. For resolving terminological mismatches, OO Mediators are applied, similar to the ones specified above.

In our use case, we do not need an WG Mediator, because the Goal and the Web Service Description use the same domain ontologies (i.e. there are not terminology mismatches).

3.4.3 GG Mediators

A GG Mediator connects Goals and possibly specifying the functional reduction. For example, a GG Mediator can connect a Goal "buy a ticket" with another Goal "buy a train ticket". Assuming 'train ticket' is a subclass of 'ticket', the GG Mediator would specify that the set described by the goal "buy a train ticket" is more specific than "buy a ticket".

In our use case, we have defined a generic Goal for buying a ticket for any kind of trip (Listing 6), a concrete Goal wherein a user wants to buy a train ticket from Innsbruck to Frankfurt on a certain date (Listing 7). The GG Mediator is used within the concrete Goal, so defining a connection between the general Goal as a 'template' which is 'instantiated' in the concrete Goal.

Listing 13: GG Mediator that restricts the generic Goal

```

namespace <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041105/resources/ggm1>>
  dc:<<http://purl.org/dc/elements/1.1#>>
  wsm1:<<http://www.wsmo.org/2004/d2/#>>

ggMediator <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041105/resources/ggm1.wsm1>>
  nonFunctionalProperties
    dc:title hasValue "GG Mediator that links the general Goal for buying tickets with the concrete Goal for buying a train ticket"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"ggMediator", "Tickets", "Online Ticket Booking", "train trip"}
    dc:description hasValue "Restricts the trip to train trips within Austria and Germany"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValue "Michael Stollberg"
    dc:date hasValue "2004-10-28"
    dc:type hasValue <<http://www.wsmo.org/2004/d2/#ggMediator>>
    dc:format hasValue "text/html"
    dc:identifier hasValue <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041105/resources/ggm1.wsm1>>
    dc:language hasValue "en-us"
    dc:relation hasValues {<<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041105/resources/goal1.wsm1>>,
      <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041105/resources/goal.wsm1>>}
    dc:coverage hasValue "ID:7029392 Name:World"
    dc:rights hasValue <<http://deri.at/privacy.html>>
    version hasValue "$Revision: 1.3 $"
  endNonFunctionalProperties

  source <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/goal1>>

  target <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/goal>>

```

3.4.4 WW Mediators

A WW Mediator allows establishing interoperability of Web Services that are not interoperable a priori by used by connecting Web Services and resolving mismatches. The mediation facility needed for WW Mediators is to mediate between the Choreographies of Web Services that are ought to interact. This requires mediation on the data, protocol, and process level, i.e. all levels of mediation relevant for Semantic Web Services [Fensel & Bussler, 2002], in order to establish valid global interaction models of Web Services.

There is no WW Mediator in this use case as the corresponding notions of Choreography and Orchestration are still under development at this point in time. Future versions might include the definition of the composition of the search and buying service, wherein a WW Mediator might be applied.

4. Web Service Discovery within WSMO

Web Service Discovery is a core technology for Semantic Web Services: the aim is to detect web services that can resolve a given Goal, working on the descriptions of the goal and of web services. WSMO supports Web Service discovery by defining Goals and Web Services as top level components. Web Service discovery is a complex topic of its own, and is addressed within related documents in WSMO. Thus, we do not specify and explain realization of Web Service discovery here, but link to the related documents.

This use case has been serving as a test bed for developing the WSMO Discovery Framework that is elaborated in WSMO Deliverable 5.1 (see: <http://www.wsmo.org/2004/d5/d5.1/>); and it serves as the testing environment for the implementation of a WSMO discovery engine that is presented in WSMO Deliverable 5.2 (see: <http://www.wsmo.org/2004/d5/d5.2/>). Please refer to these documents for a complete overview of discovery within WSMO.

5. Conclusions

This document provides a real-world setting of using Semantic Web Services for a Virtual Travel Agency (VTA) that provides an end-user service for booking international train tickets, thereby aggregating Web Services of different e-Tourism Service Providers. We have modeled ontologies, goals, a Web Service, and OO Mediators according to their current specification status in WSMO [Roman et al., 2004].

This use case is the first, initial use case defined for testing and recursively developing WSMO. The major outcomes of this use case are:

- insights and test case for final specification of the WSMO top level components as defined in WSMO, D2, final version 1.0 [Roman et al., 2004]
- specification and elaboration of WSML (syntax, general structure, and logical expressions)
- test case for Web Service Discovery within WSMO.

Other use cases address different aspects of Semantic Web Services around the Web Service Modeling Ontology WSMO; WSMO Use Case are gathered in the [WSMO Use Case Overview document](#).

References

[de Bruijn, 2004] de Bruijn, J. (ed): *D16.0 v0.2 WSMO The WSML Family of Representation Languages ebXML*, WMSL Working Draft 26 September 2004, available at: <http://www.wsmo.org/2004/d16/v0.2/20040926/>.

[ebXML] ebXML, available at: <http://www.ebxml.org>.

[EDIFACT] UN/EDIFACT, available at: <http://www.unece.org/trade/untdid/welcome.htm>.

[Fensel & Bussler, 2002] D. Fensel and C. Bussler: *The Web Service Modeling Framework WSMF*, Electronic Commerce Research and Applications, 1(2), 2002.

[Keller et al., 2004] Keller, U.; Lara, R.; Polleres, A. (eds.): *WSMO Discovery*, D5.1 v0.1, WMSL Working Draft 13 September 2004. available at <http://www.wsmo.org/2004/d5/d5.1/v0.1/20040913/>

[Pan and Hobbs] F. Pan and R. Hobbs: *Time in OWL-S*, available at: <http://www.isi.edu/~pan/damtime/AAAsymp2004.pdf>.

[Roman et al., 2004] D. Roman, U. Keller, H. Lausen (eds.): *Web Service Modeling Ontology (WSMO)*, WSMO Working Draft D2, final version 1.0, 20 September 2004, available at <http://www.wsmo.org/2004/d2/v1.0/20040920/>.

[RosettaNet] RosettaNet, available at: <http://www.rosettanet.org>.

Acknowledgements

The work is funded by the European Commission under the projects DIP, Knowledge Web, InfraWebs, SEKT, SWWS, ASG and Esperanto; by Science Foundation Ireland under the DERI-Lion project; by the Vienna city government under the CoOperate programme and by the FIT-IT (Forschung, Innovation, Technologie - Informationstechnologie) under the projects RW² and TSC.

The editors would like to thank to all the [members of the WSMO working group](#) for their advice and input into this document.

Appendix A: Change Tracking

To facilitate retracing of changes between different version of this deliverable, the following lists the essential changes done in comparison to the preceding version.

The change tracking starts with the version of 28 June 2004.

Version: 19 November 2004 <http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/>

- changed owl listings to abstract syntax
- corrected references and relations to other WSMO deliverables

Version: 08 October 2004 <http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/>

- incorporated requested updates on use case description
- corrected listings to actual WSML syntax
- updated section 4, on discovery

Version: 05 November 2004 <http://www.wsmo.org/2004/d3/d3.3/v0.1/20041105/>

- re-added the general use case overview in section 2
- reworked the use case overview: tabular overview of the resources modeled in this use case
- corrected the models of all resources:
 - International Train Connection Ontology: added concept ticket
 - Purchase Ontology: complete revision, made it 'B2C'-adequate
 - added related / used ontologies in Appendix B
 - updated models of Goals and Web Services to corrected ontologies

Version: 08 October 2004 <http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/>

- separated VTA Use Case document into separated documents

Version: 04 October 2004 <http://www.wsmo.org/2004/d3/d3.2/b2c/20041004/>

- separated documents; this document only includes the concrete B2C - Virtual Travel Agency Use Case
- models / listings updated to valid WSML in accordance to WSMO D2, final version 1-0, 20 September 2004
- updated Web Service discovery part to new WSMO Web Service Discovery as defined in D5.1, 13 September 2004

Version: 19 July 2004 <http://www.wsmo.org/2004/d3/d3.2/v0.1/20040719/>

- ontologies: rationales and updates, PO Ontology currently under development
- added general Goal and GG Mediator; the concrete Goal is derived from these
- updated WS Capability (assumption is now that the credit card is valid)

Version: 28 June 2004 <http://www.wsmo.org/2004/d3/d3.2/v0.1/20040628/>

- complete read-thru with corrections of deliverable text (regarding comments from Jos de Bruijn)
- corrections of domain ontologies
 - * changed section 3.1.1 to "Use Case Overview", describes the properties of the WSMO components modeled below
 - * the web service described now is understood as an aggregated / composed web service that offers the overall functionality for purchasing train tickets online. In later versions, the Choreography description as well as the

Orchestration with specific Web Services for searching and buying train tickets can be adopted.

- * corrected / clarified descriptions for modeling descriptions.
 - correction of WSML-models for Goals, Web Services, Mediators
 - revised the Web Service Discovery description (section 3.1.3)
 - updated the FLORA2 resources to the WSML models (as in Listings)
 - namespace handling refined
-

Appendix B: Related Resources

To ease understanding of the resources modeled within this use case, the section gathers all ontologies (re)used within this use case as well as other related resources.

B.1 Used Ontologies in OWL

The ontologies specified in [Section 3.1](#) use existing ontologies. Most of these ontologies are modelled in OWL. To use them within WSML, the syntax has to be converted to WSML (using an OO Mediator). A mediation Service has not yet been implemented, however a partial mapping is defined in [\[de Bruijn, 2004\]](#).

The following listings provide the ontologies in OWL abstract syntax, since this syntax is more human readable than the RDF/XML syntax. The conversion was done using the [OWL API](#) developed by the University of Manchester. Specific Notes to the conversion can be found below each ontology (if applicable). The Listings are given to illustrate the expressive power used in this OWL ontologies and to allow the reader the comparison of between the wsml and owl ontologies.

Listing B1: Person Ontology

```

Namespace(rdf = <http://www.w3.org/1999/02/22-rdf-syntax-ns#>)
Namespace(xsd = <http://www.w3.org/2001/XMLSchema#>)
Namespace(rdfs = <http://www.w3.org/2000/01/rdf-schema#>)
Namespace(owl = <http://www.w3.org/2002/07/owl#>)
Namespace(a = <http://daml.umbc.edu/ontologies/ittalks/person#>)
Namespace(b = <http://daml.umbc.edu/ontologies/ittalks/address#>)

Ontology( <http://daml.umbc.edu/ontologies/ittalks/person#>

  Annotation(owl:imports http://daml.umbc.edu/ontologies/ittalks/address)
  Annotation(owl:imports http://daml.umbc.edu/ontologies/ittalks/event)
  Annotation(owl:versionInfo "$Revision: 1.1 $")
  Annotation(rdfs:comment "A ontology that describe a person.
    The properties listed in this ontology is a subset of vCard.
    see also: http://www.ietf.org/rfc/rfc2426.txt.
    This ontology is created by
      Li Ding -- http://www.csee.umbc.edu/~dingli1/,
      Harry Chen -- http://www.csee.umbc.edu/~hchen4/,
      Lalana Kagal -- http://www.cs.umbc.edu/~lkagal1/,
      Tim Finin -- http://www.csee.umbc.edu/~finin/.")

  ObjectProperty(a:homeAddress domain(a:Person) range(b:Address))
  ObjectProperty(a:officeAddress domain(a:Person) range(b:Address))

  DatatypeProperty(a:birthday domain(a:Person) range(<http://daml.umbc.edu/ontologies/ittalks/event#Instant>))
  DatatypeProperty(a:cellPhone domain(a:Person) range(xsd:string))
  DatatypeProperty(a:email domain(a:Person) range(xsd:string))
  DatatypeProperty(a:fax domain(a:Person) range(xsd:string))
  DatatypeProperty(a:firstName domain(a:Person) range(xsd:string))
  DatatypeProperty(a:gender domain(a:Person) range(xsd:string))
  DatatypeProperty(a:homePhone domain(a:Person) range(xsd:string))
  DatatypeProperty(a:homepage domain(a:Person) range(xsd:anyURI))
  DatatypeProperty(a:lastName domain(a:Person) range(xsd:string))
  DatatypeProperty(a:officePhone domain(a:Person) range(xsd:string))
  DatatypeProperty(a:pager domain(a:Person) range(xsd:string))
  DatatypeProperty(a:title domain(a:Person) range(xsd:string))

  Class(b:Address partial)
  Class(a:Person partial
    restriction(a:firstName cardinality(1))
    restriction(a:gender maxCardinality(1))
    restriction(a:birthday maxCardinality(1))
    restriction(a:lastName cardinality(1)))
  Class(a:Person partial
    annotation(rdfs:comment "OWL description of a person")
    annotation(rdfs:label "Person")
  )

  AnnotationProperty(rdfs:comment)
  AnnotationProperty(rdfs:label)
  AnnotationProperty(owl:versionInfo)
)

```

The original ontology in OWL/RDF format is available at:
<http://daml.umbc.edu/ontologies/ittalks/person>

Listing B2: OWL Factbook Ontology

Namespace(rdf = http://www.w3.org/1999/02/22-rdf-syntax-ns#)
Namespace(xsd = http://www.w3.org/2001/XMLSchema#)
Namespace(rdfs = http://www.w3.org/2000/01/rdf-schema#)
Namespace(owl = http://www.w3.org/2002/07/owl#)
Namespace(a = http://www.daml.org/2003/09/factbook/factbook-ont#)
Namespace(b = http://www.daml.org/2001/09/countries/fips-10-4-ont#)

Ontology(

Annotation(owl:imports http://www.daml.org/2001/09/countries/fips-10-4-ont)
Annotation(rdfs:comment "CIA World Fact Book (2003) **Ontology**")
Annotation(rdfs:comment "see http://www.cia.gov/cia/publications/factbook/")
Annotation(owl:versionInfo "\$Id: owlFactbook-ont-abstract.owl.html,v 1.1 2004/11/19 14:51:57 hlausen Exp \$")

Class(b:Country partial

restriction(a:administrativeDivision **allValuesFrom** (a:AdministrativeDivision))
restriction(a:agricultureProduct **allValuesFrom** (a:AgricultureProduct))
restriction(a:airportBreakdown **allValuesFrom** (a:AirportBreakdown))
restriction(a:airports **allValuesFrom** (xsd:integer))
restriction(a:background **allValuesFrom** (xsd:string))
restriction(a:birthRate **allValuesFrom** (xsd:float))
restriction(a:border **allValuesFrom** (a:Border))
restriction(a:budgetCapitalExpenditures **allValuesFrom** (xsd:decimal))
restriction(a:budgetExpenditures **allValuesFrom** (xsd:decimal))
restriction(a:budgetRevenues **allValuesFrom** (xsd:decimal))
restriction(a:capital **allValuesFrom** (a:CapitalCity))
restriction(a:climate **allValuesFrom** (xsd:string))
restriction(a:coastline **allValuesFrom** (xsd:decimal))
restriction(a:comparativeArea **allValuesFrom** (xsd:string))
restriction(a:constitution **allValuesFrom** (xsd:string))
restriction(a:conventionalLongCountryName **allValuesFrom** (xsd:string))
restriction(a:conventionalShortCountryName **allValuesFrom** (xsd:string))
restriction(a:countryAbbreviation **allValuesFrom** (xsd:string))
restriction(a:currency **allValuesFrom** (xsd:string))
restriction(a:currencyCode **allValuesFrom** (xsd:string))
restriction(a:deathRate **allValuesFrom** (xsd:float))
restriction(a:dependencyStatus **allValuesFrom** (xsd:string))
restriction(a:dependentArea **allValuesFrom** (b:Country))
restriction(a:distributionOfFamilyIncomeGiniIndex **allValuesFrom** (xsd:float))
restriction(a:economicAidDonor **allValuesFrom** (xsd:decimal))
restriction(a:economicAidRecipient **allValuesFrom** (xsd:decimal))
restriction(a:economyOverview **allValuesFrom** (xsd:string))
restriction(a:electricityConsumption **allValuesFrom** (xsd:decimal))
restriction(a:electricityExports **allValuesFrom** (xsd:decimal))
restriction(a:electricityImports **allValuesFrom** (xsd:decimal))
restriction(a:electricityProduction **allValuesFrom** (xsd:decimal))
restriction(a:electricityProductionPercent **allValuesFrom** (xsd:float))
restriction(a:environmentalIssue **allValuesFrom** (xsd:string))
restriction(a:ethnicGroup **allValuesFrom** (a:EthnicGroupPercent))
restriction(a:exportPartner **allValuesFrom** (a:CountryPercent))
restriction(a:exports **allValuesFrom** (xsd:decimal))
restriction(a:exportsCommodity **allValuesFrom** (a:CommodityPercent))
restriction(a:externalDebt **allValuesFrom** (xsd:decimal))
restriction(a:femalesFitForMilitaryService **allValuesFrom** (xsd:integer))
restriction(a:femalesOfMilitaryAge **allValuesFrom** (xsd:integer))
restriction(a:femalesReachingMilitaryAgeAnnually **allValuesFrom** (xsd:integer))
restriction(a:fiscalYear **allValuesFrom** (xsd:string))
restriction(a:flagDescription **allValuesFrom** (xsd:string))
restriction(a:formerCountryName **allValuesFrom** (xsd:string))
restriction(a:geographicCoordinates **allValuesFrom** (a:LatLon))
restriction(a:governmentType **allValuesFrom** (a:GovernmentType))
restriction(a:grossDomesticProduct **allValuesFrom** (xsd:decimal))
restriction(a:grossDomesticProductComposition **allValuesFrom** (xsd:float))
restriction(a:grossDomesticProductPerCapita **allValuesFrom** (xsd:decimal))
restriction(a:grossDomesticProductRealGrowth **allValuesFrom** (xsd:float))
restriction(a:heliports **allValuesFrom** (xsd:integer))
restriction(a:highestPoint **allValuesFrom** (a:ElevationExtreme))
restriction(a:highwaysPaved **allValuesFrom** (xsd:integer))
restriction(a:highwaysUnpaved **allValuesFrom** (xsd:integer))
restriction(a:householdIncomeByPercentageShare **allValuesFrom** (xsd:float))
restriction(a:illicitDrugs **allValuesFrom** (xsd:string))
restriction(a:importPartner **allValuesFrom** (a:CountryPercent))
restriction(a:imports **allValuesFrom** (xsd:decimal))
restriction(a:importsCommodity **allValuesFrom** (a:CommodityPercent))
restriction(a:independence **allValuesFrom** (xsd:string))
restriction(a:industrialProductionGrowthRate **allValuesFrom** (xsd:float))
restriction(a:industry **allValuesFrom** (a:Industry))
restriction(a:infantMortalityRateFemale **allValuesFrom** (xsd:float))

```

restriction(a:infantMortalityRateMale allValuesFrom (xsd:float))
restriction(a:infantMortalityRateTotal allValuesFrom (xsd:float))
restriction(a:inflationRate allValuesFrom (xsd:float))
restriction(a:internationalDispute allValuesFrom (xsd:string))
restriction(a:internetCountryCode allValuesFrom (xsd:string))
restriction(a:internetServiceProviders allValuesFrom (xsd:integer))
restriction(a:internetUsers allValuesFrom (xsd:integer))
restriction(a:irrigatedLand allValuesFrom (xsd:float))
restriction(a:laborForce allValuesFrom (xsd:integer))
restriction(a:landArea allValuesFrom (xsd:decimal))
restriction(a:landBoundaries allValuesFrom (xsd:decimal))
restriction(a:landUse allValuesFrom (xsd:float))
restriction(a:language allValuesFrom (a:LanguagePercent))
restriction(a:largeFlag allValuesFrom (xsd:anyURI))
restriction(a:legalSystem allValuesFrom (xsd:string))
restriction(a:literacyDefinition allValuesFrom (xsd:string))
restriction(a:literacyFemale allValuesFrom (xsd:float))
restriction(a:literacyMale allValuesFrom (xsd:float))
restriction(a:literacyTotal allValuesFrom (xsd:float))
restriction(a:localLongCountryName allValuesFrom (xsd:string))
restriction(a:localShortCountryName allValuesFrom (xsd:string))
restriction(a:location allValuesFrom (xsd:string))
restriction(a:lowestPoint allValuesFrom (a:ElevationExtreme))
restriction(a:mainTelephoneLines allValuesFrom (xsd:integer))
restriction(a:malesFitForMilitaryService allValuesFrom (xsd:integer))
restriction(a:malesOfMilitaryAge allValuesFrom (xsd:integer))
restriction(a:malesReachingMilitaryAgeAnnually allValuesFrom (xsd:integer))
restriction(a:map allValuesFrom (xsd:anyURI))
restriction(a:mapReferences allValuesFrom (xsd:string))
restriction(a:maritimeClaim allValuesFrom (xsd:integer))
restriction(a:medianAgeFemale allValuesFrom (xsd:float))
restriction(a:medianAgeMale allValuesFrom (xsd:float))
restriction(a:medianAgeTotal allValuesFrom (xsd:float))
restriction(a:militaryAge allValuesFrom (xsd:integer))
restriction(a:militaryExpenditures allValuesFrom (xsd:decimal))
restriction(a:militaryExpendituresPercentGDP allValuesFrom (xsd:float))
restriction(a:mobileTelephoneLines allValuesFrom (xsd:integer))
restriction(a:nationalityAdjective allValuesFrom (xsd:string))
restriction(a:nationalityNoun allValuesFrom (xsd:string))
restriction(a:naturalGasProvedReserves allValuesFrom (xsd:decimal))
restriction(a:naturalHazard allValuesFrom (xsd:string))
restriction(a:naturalResource allValuesFrom (a:NaturalResource))
restriction(a:netMigrationRate allValuesFrom (xsd:float))
restriction(a:occupation allValuesFrom (a:OccupationPercent))
restriction(a:oilConsumption allValuesFrom (xsd:decimal))
restriction(a:oilExports allValuesFrom (xsd:decimal))
restriction(a:oilImports allValuesFrom (xsd:decimal))
restriction(a:oilProduction allValuesFrom (xsd:decimal))
restriction(a:oilProvedReserves allValuesFrom (xsd:decimal))
restriction(a:participatesIn allValuesFrom (a:InternationalOrganization))
restriction(a:pipelines allValuesFrom (a:PipelineDistance))
restriction(a:population allValuesFrom (xsd:integer))
restriction(a:populationBelowPovertyLine allValuesFrom (xsd:float))
restriction(a:populationGrowthRate allValuesFrom (xsd:float))
restriction(a:port allValuesFrom (a:Port))
restriction(a:radioStations allValuesFrom (a:RadioBandBreakdown))
restriction(a:radios allValuesFrom (xsd:integer))
restriction(a:railwaysBroadGauge allValuesFrom (xsd:integer))
restriction(a:railwaysDualGauge allValuesFrom (xsd:integer))
restriction(a:railwaysNarrowGauge allValuesFrom (xsd:integer))
restriction(a:railwaysStandardGauge allValuesFrom (xsd:integer))
restriction(a:railwaysTotal allValuesFrom (xsd:integer))
restriction(a:religion allValuesFrom (a:ReligionPercent))
restriction(a:sexRatio allValuesFrom (a:SexRatioBreakdown))
restriction(a:smallFlag allValuesFrom (xsd:anyURI))
restriction(a:suffrage allValuesFrom (xsd:string))
restriction(a:telephoneSystemDomestic allValuesFrom (xsd:string))
restriction(a:telephoneSystemGeneralAssessment allValuesFrom (xsd:string))
restriction(a:telephoneSystemInternational allValuesFrom (xsd:string))
restriction(a:televisionBroadcastStations allValuesFrom (xsd:integer))
restriction(a:televisions allValuesFrom (xsd:integer))
restriction(a:terrain allValuesFrom (xsd:string))
restriction(a:totalArea allValuesFrom (xsd:decimal))
restriction(a:totalFertilityRate allValuesFrom (xsd:float))
restriction(a:unemploymentRate allValuesFrom (xsd:float))
restriction(a:waterArea allValuesFrom (xsd:decimal))
restriction(a:waterways allValuesFrom (xsd:integer))
Class(a:AdministrativeDivision partial
restriction(a:name allValuesFrom (xsd:string)))

```

Class(a:AdministrativeDivision
annotation(rdfs:comment "intended to be subclassed for each country"))

Class(a:AgeBreakdown partial
restriction(a:maxAge **allValuesFrom** (xsd:integer))
a:Breakdown
restriction(a:minAge **allValuesFrom** (xsd:integer)))

Class(a:AgricultureProduct partial
a:SharedObject)

Class(a:AirportBreakdown partial
restriction(a:maxRunway **allValuesFrom** (xsd:integer))
a:CountBreakdown
restriction(a:minRunway **allValuesFrom** (xsd:integer))
restriction(a:paved **allValuesFrom** (xsd:boolean)))

Class(a:Border partial
restriction(a:country **allValuesFrom** (b:Country))
restriction(a:distance **allValuesFrom** (xsd:decimal)))

Class(a:Breakdown
annotation(rdfs:comment "abstract base for classes associating categorizing a **value** by some other index (percentage, count, ..."))

Class(a:CapitalCity partial
restriction(a:name **allValuesFrom** (xsd:string)))

Class(a:Commodity partial
a:SharedObject)

Class(a:CommodityPercent partial
a:PercentBreakdown
restriction(a:commodity **allValuesFrom** (a:Commodity)))

Class(a:CountBreakdown partial
restriction(a:count **allValuesFrom** (xsd:integer))
a:Breakdown)

Class(a:CountryPercent partial
a:PercentBreakdown
restriction(a:country **allValuesFrom** (b:Country)))

Class(a:ElevationExtreme partial
restriction(a:elevation **allValuesFrom** (xsd:integer))
restriction(a:name **allValuesFrom** (xsd:string)))

Class(a:EnvironmentalAgreement partial
a:SharedObject)

Class(a:Estimate partial
rdf:Statement)

Class(a:Estimate
annotation(rdfs:comment "rdf:type added to some (reified) Statements"))

Class(a:EthnicGroup partial
a:SharedObject)

Class(a:EthnicGroupPercent partial
a:PercentBreakdown
restriction(a:ethnicGroup **allValuesFrom** (a:EthnicGroup)))

Class(a:GovernmentType partial
a:SharedObject)

Class(a:Industry partial
a:SharedObject)

Class(a:InternationalOrganization partial
a:SharedObject)

Class(a:Language partial
a:SharedObject)

Class(a:LanguagePercent partial
a:PercentBreakdown
restriction(a:language **allValuesFrom** (a:Language)))

Class(a:LatLon partial
restriction(a:longitude **allValuesFrom** (xsd:double))
restriction(a:latitude **allValuesFrom** (xsd:double)))

Class(a:NaturalResource partial
a:SharedObject)

Class(a:Occupation partial
a:SharedObject)

Class(a:OccupationPercent partial
a:PercentBreakdown
restriction(a:occupation **allValuesFrom** (a:Occupation)))

Class(a:PercentBreakdown partial
restriction(a:percent **allValuesFrom** (xsd:float))
a:Breakdown)

Class(a:PipelineDistance partial
restriction(a:type **allValuesFrom** (a:PipelineType))
restriction(a:distance **allValuesFrom** (xsd:integer)))

Class(a:PipelineType partial
a:SharedObject)

Class(a:Port partial
restriction(a:name **allValuesFrom** (xsd:string)))

Class(a:RadioBand partial
a:SharedObject)

Class(a:RadioBandBreakdown partial
restriction(a:band **allValuesFrom** (a:RadioBand)))

a:CountBreakdown)
Class(a:Religion partial
 a:SharedObject)
Class(a:ReligionPercent partial
 a:PercentBreakdown
 restriction(a:religion allValuesFrom (a:Religion)))
Class(a:SexRatioBreakdown partial
 a:AgeBreakdown
 restriction(a:ratio allValuesFrom (xsd:float)))
Class(a:SharedObject partial
 restriction(a:name allValuesFrom (xsd:string)))
Class(a:SharedObject
 annotation(rdfs:comment "abstract base for common instances that are referred to by multiple Countries"))
Class(rdf:Statement partial
 restriction(a:note allValuesFrom (xsd:string))
 restriction(a:year allValuesFrom (xsd:gYear))
 restriction(a:fiscalYear allValuesFrom (xsd:gYear)))
Class(rdf:Statement
 annotation(rdfs:comment "associate a parenthesized comment with a (reified) Statement") **annotation**(rdfs:comment "assoc
Class(xsd:string partial)

AnnotationProperty(rdfs:comment)
AnnotationProperty(owl:versionInfo)

ObjectProperty(a:administrativeDivision)
ObjectProperty(a:agricultureProduct)
ObjectProperty(a:border)
ObjectProperty(a:capital)
ObjectProperty(a:commodity)
ObjectProperty(a:country)
ObjectProperty(a:dependentArea)
ObjectProperty(a:environmentalAgreementPartyTo)
ObjectProperty(a:environmentalAgreementSigned)
ObjectProperty(a:ethnicGroup)
ObjectProperty(a:exportPartner)
ObjectProperty(a:exportsCommodity)
ObjectProperty(a:geographicCoordinates)
ObjectProperty(a:governmentType)
ObjectProperty(a:importPartner)
ObjectProperty(a:importsCommodity)
ObjectProperty(a:industry)
ObjectProperty(a:language)
ObjectProperty(a:naturalHazard)
ObjectProperty(a:naturalResource)
ObjectProperty(a:occupation)
ObjectProperty(a:participatesIn)
ObjectProperty(a:pipelines)
ObjectProperty(a:port)
ObjectProperty(a:radioStations)
ObjectProperty(a:sexRatio)

DatatypeProperty(a:airportBreakdown)
DatatypeProperty(a:airports)
DatatypeProperty(a:arableLand)
DatatypeProperty(a:background)
DatatypeProperty(a:band)
DatatypeProperty(a:birthRate)
DatatypeProperty(a:budgetCapitalExpenditures)
DatatypeProperty(a:budgetExpenditures)
DatatypeProperty(a:budgetRevenues)
DatatypeProperty(a:climate)
DatatypeProperty(a:coastline)
DatatypeProperty(a:comparativeArea)
DatatypeProperty(a:constitution)
DatatypeProperty(a:contiguousZone)
DatatypeProperty(a:continentalShelf)
DatatypeProperty(a:conventionalLongCountryName)
DatatypeProperty(a:conventionalShortCountryName)
DatatypeProperty(a:count)
DatatypeProperty(a:countryAbbreviation)
DatatypeProperty(a:currency)
DatatypeProperty(a:currencyCode)
DatatypeProperty(a:deathRate)
DatatypeProperty(a:dependencyStatus)
DatatypeProperty(a:distance)
DatatypeProperty(a:distributionOfFamilyIncomeGiniIndex)
DatatypeProperty(a:economicAidDonor)
DatatypeProperty(a:economicAidRecipient)
DatatypeProperty(a:economyOverview)

DatatypeProperty(a:electricityConsumption)
DatatypeProperty(a:electricityExports)
DatatypeProperty(a:electricityImports)
DatatypeProperty(a:electricityProduction)
DatatypeProperty(a:electricityProductionFossilFuel)
DatatypeProperty(a:electricityProductionHydro)
DatatypeProperty(a:electricityProductionNuclear)
DatatypeProperty(a:electricityProductionOther)
DatatypeProperty(a:electricityProductionPercent)
DatatypeProperty(a:elevation)
DatatypeProperty(a:environmentalIssue)
DatatypeProperty(a:exclusiveEconomicZone)
DatatypeProperty(a:exclusiveFishingZone)
DatatypeProperty(a:exports)
DatatypeProperty(a:extendedFishingZone)
DatatypeProperty(a:externalDebt)
DatatypeProperty(a:femalesFitForMilitaryService)
DatatypeProperty(a:femalesOfMilitaryAge)
DatatypeProperty(a:femalesReachingMilitaryAgeAnnually)
DatatypeProperty(a:fiscalYear)
DatatypeProperty(a:flagDescription)
DatatypeProperty(a:forestsAndWoodland)
DatatypeProperty(a:formerCountryName)
DatatypeProperty(a:grossDomesticProduct)
DatatypeProperty(a:grossDomesticProductAgriculture)
DatatypeProperty(a:grossDomesticProductComposition)
DatatypeProperty(a:grossDomesticProductIndustry)
DatatypeProperty(a:grossDomesticProductPerCapita)
DatatypeProperty(a:grossDomesticProductRealGrowth)
DatatypeProperty(a:grossDomesticProductServices)
DatatypeProperty(a:heliports)
DatatypeProperty(a:highestPoint)
DatatypeProperty(a:highwaysPaved)
DatatypeProperty(a:highwaysTotal)
DatatypeProperty(a:highwaysUnpaved)
DatatypeProperty(a:householdIncomeByPercentageShare)
DatatypeProperty(a:householdIncomeHighest10Percent)
DatatypeProperty(a:householdIncomeLowest10Percent)
DatatypeProperty(a:illicitDrugs)
DatatypeProperty(a:imports)
DatatypeProperty(a:independence)
DatatypeProperty(a:industrialProductionGrowthRate)
DatatypeProperty(a:infantMortalityRateFemale)
DatatypeProperty(a:infantMortalityRateMale)
DatatypeProperty(a:infantMortalityRateTotal)
DatatypeProperty(a:inflationRate)
DatatypeProperty(a:internationalDispute)
DatatypeProperty(a:internetCountryCode)
DatatypeProperty(a:internetServiceProviders)
DatatypeProperty(a:internetUsers)
DatatypeProperty(a:irrigatedLand)
DatatypeProperty(a:laborForce)
DatatypeProperty(a:landArea)
DatatypeProperty(a:landBoundaries)
DatatypeProperty(a:landUse)
DatatypeProperty(a:largeFlag)
DatatypeProperty(a:latitude)
DatatypeProperty(a:legalSystem)
DatatypeProperty(a:literacyDefinition)
DatatypeProperty(a:literacyFemale)
DatatypeProperty(a:literacyMale)
DatatypeProperty(a:literacyTotal)
DatatypeProperty(a:localLongCountryName)
DatatypeProperty(a:localShortCountryName)
DatatypeProperty(a:location)
DatatypeProperty(a:longitude)
DatatypeProperty(a:lowestPoint)
DatatypeProperty(a:mainTelephoneLines)
DatatypeProperty(a:malesFitForMilitaryService)
DatatypeProperty(a:malesOfMilitaryAge)
DatatypeProperty(a:malesReachingMilitaryAgeAnnually)
DatatypeProperty(a:map)
DatatypeProperty(a:mapReferences)
DatatypeProperty(a:maritimeClaim)
DatatypeProperty(a:maxAge)
DatatypeProperty(a:maxRunway)
DatatypeProperty(a:medianAgeFemale)
DatatypeProperty(a:medianAgeMale)
DatatypeProperty(a:medianAgeTotal)

DatatypeProperty(a:militaryAge)
DatatypeProperty(a:militaryExpenditures)
DatatypeProperty(a:militaryExpendituresPercentGDP)
DatatypeProperty(a:minAge)
DatatypeProperty(a:minRunway)
DatatypeProperty(a:mobileTelephoneLines)
DatatypeProperty(a:name)
DatatypeProperty(a:nationalityAdjective)
DatatypeProperty(a:nationalityNoun)
DatatypeProperty(a:naturalGasProvedReserves)
DatatypeProperty(a:netMigrationRate)
DatatypeProperty(a:note)
DatatypeProperty(a:oilConsumption)
DatatypeProperty(a:oilExports)
DatatypeProperty(a:oilImports)
DatatypeProperty(a:oilProduction)
DatatypeProperty(a:oilProvedReserves)
DatatypeProperty(a:otherLandUse)
DatatypeProperty(a:paved)
DatatypeProperty(a:percent)
DatatypeProperty(a:permanentCrops)
DatatypeProperty(a:permanentPastures)
DatatypeProperty(a:population)
DatatypeProperty(a:populationBelowPovertyLine)
DatatypeProperty(a:populationGrowthRate)
DatatypeProperty(a:radios)
DatatypeProperty(a:railwaysBroadGauge)
DatatypeProperty(a:railwaysDualGauge)
DatatypeProperty(a:railwaysNarrowGauge)
DatatypeProperty(a:railwaysStandardGauge)
DatatypeProperty(a:railwaysTotal)
DatatypeProperty(a:ratio)
DatatypeProperty(a:religion)
DatatypeProperty(a:smallFlag)
DatatypeProperty(a:suffrage)
DatatypeProperty(a:telephoneSystemDomestic)
DatatypeProperty(a:telephoneSystemGeneralAssessment)
DatatypeProperty(a:telephoneSystemInternational)
DatatypeProperty(a:televisionBroadcastStations)
DatatypeProperty(a:televisions)
DatatypeProperty(a:terrain)
DatatypeProperty(a:territorialSea)
DatatypeProperty(a:totalArea)
DatatypeProperty(a:totalFertilityRate)
DatatypeProperty(a:type)
DatatypeProperty(a:unemploymentRate)
DatatypeProperty(a:units)
DatatypeProperty(a:waterArea)
DatatypeProperty(a:waterways)
DatatypeProperty(a:year)

Individual(_ value(a:units "US dollars"))
Individual(_ value(a:units "bbl"))
Individual(_ value(a:units "bbl/day"))
Individual(_ value(a:units "births/1000 population"))
Individual(_ value(a:units "children born/woman"))
Individual(_ value(a:units "cu m"))
Individual(_ value(a:units "deaths/1000 population"))
Individual(_ value(a:units "degrees"))
Individual(_ value(a:units "index"))
Individual(_ value(a:units "kWh"))
Individual(_ value(a:units "km"))
Individual(_ value(a:units "male(s)/female"))
Individual(_ value(a:units "meters"))
Individual(_ value(a:units "migrants/1000 population"))
Individual(_ value(a:units "nautical miles"))
Individual(_ value(a:units "people"))
Individual(_ value(a:units "percent"))
Individual(_ value(a:units "percent/year"))
Individual(_ value(a:units "sq km"))
Individual(_ value(a:units "years"))

SubPropertyOf(a:arableLand a:landUse)
SubPropertyOf(a:contiguousZone a:maritimeClaim)
SubPropertyOf(a:continentalShelf a:maritimeClaim)
SubPropertyOf(a:electricityProductionFossilFuel a:electricityProductionPercent)
SubPropertyOf(a:electricityProductionHydro a:electricityProductionPercent)
SubPropertyOf(a:electricityProductionNuclear a:electricityProductionPercent)
SubPropertyOf(a:electricityProductionOther a:electricityProductionPercent)

```

SubPropertyOf(a:exclusiveEconomicZone a:maritimeClaim)
SubPropertyOf(a:exclusiveFishingZone a:maritimeClaim)
SubPropertyOf(a:extendedFishingZone a:maritimeClaim)
SubPropertyOf(a:forestsAndWoodland a:landUse)
SubPropertyOf(a:grossDomesticProductAgriculture a:grossDomesticProductComposition)
SubPropertyOf(a:grossDomesticProductIndustry a:grossDomesticProductComposition)
SubPropertyOf(a:grossDomesticProductServices a:grossDomesticProductComposition)
SubPropertyOf(a:householdIncomeHighest10Percent a:householdIncomeByPercentageShare)
SubPropertyOf(a:householdIncomeLowest10Percent a:householdIncomeByPercentageShare)
SubPropertyOf(a:otherLandUse a:landUse)
SubPropertyOf(a:permanentCrops a:landUse)
SubPropertyOf(a:permanentPastures a:landUse)
SubPropertyOf(a:territorialSea a:maritimeClaim)
)

```

The original ontology in OWL/RDF format is available at:

<http://www.daml.org/2003/09/factbook/factbook-ont>

Note that the original ontology contains several Individual assertions which seemed to be mend as annotation for range fillers, e.g.:

```

<owl:Restriction>
  <owl:onProperty rdf:resource="#totalArea" />
  <owl:allValuesFrom rdf:resource="http://www.w3.org/2001/XMLSchema#decimal" />
  <factbook:units>sq km</factbook:units>
</owl:Restriction>

```

However those individuals have semantically no connection to the properties they occur next to within the XML representation. As shown in the abstract syntax they are just individual assertions.

Listing B3: Address Ontology

```

Namespace(xsd = http://www.w3.org/2001/XMLSchema#)
Namespace(a = http://daml.umbc.edu/ontologies/ittalks/address#)

Ontology(
  Class(a:Address partial)
  DatatypeProperty(a:city domain(a:Address) range(xsd:string))
  DatatypeProperty(a:country domain(a:Address) range(xsd:string))
  DatatypeProperty(a:roomNumber domain(a:Address) range(xsd:string))
  DatatypeProperty(a:state domain(a:Address) range(xsd:string))
  DatatypeProperty(a:streetAddress domain(a:Address) range(xsd:string))
  DatatypeProperty(a:zip domain(a:Address) range(xsd:string))
)

```

The original ontology in OWL/RDF format is available at:

<http://daml.umbc.edu/ontologies/ittalks/address>

Listing B4: Currency Ontology, original (in DAML) at:
<http://www.daml.ecs.soton.ac.uk/ont/currency.daml>

[an error occurred while processing this directive]

Listing B5: Geo Ontology

```

Namespace(rdf = <http://www.w3.org/1999/02/22-rdf-syntax-ns#>)
Namespace(xsd = <http://www.w3.org/2001/XMLSchema#>)
Namespace(rdfs = <http://www.w3.org/2000/01/rdf-schema#>)
Namespace(owl = <http://www.w3.org/2002/07/owl#>)
Namespace(a = <http://www.daml.org/2001/02/geofile/geofile-dt.xsd#>)
Namespace(b = <http://www.daml.org/2001/02/geofile/geofile-ont#>)

Ontology( <http://www.daml.org/2001/02/geofile/geofile-ont>

  Annotation(owl:versionInfo "$Id: geofile-abstract.owl.html,v 1.1 2004/11/19 14:51:57 hlausen Exp $")
  Annotation(rdfs:comment "Ontology for the GEOFILE")

  ObjectProperty(b:classification domain(b:GeographicLocation) range(b:Classification))
  ObjectProperty(b:containsLocation inverseOf(b:locatedIn) domain(b:GeographicArea) range(b:Location))
  ObjectProperty(b:locatedIn domain(b:Location) range(b:GeographicArea))
  ObjectProperty(b:primeGeoloc domain(b:GeographicLocation) range(b:GeographicLocation))
  ObjectProperty(b:recordOwner domain(b:GeographicLocation))
  ObjectProperty(b:status domain(b:GeographicLocation) range(b:Status))

  DatatypeProperty(b:cancelledDate domain(b:GeographicLocation) range(xsd:date))
  DatatypeProperty(b:countryStateCode domain(b:GeographicArea) range(a:cc))
  DatatypeProperty(b:createdDate domain(b:GeographicLocation) range(xsd:date))
  DatatypeProperty(b:geolocationCode domain(b:GeographicLocation) range(a:geocode))
  DatatypeProperty(b:icao domain(b:GeographicLocation) range(a:icaoCode))
  DatatypeProperty(b:installationTypeCode domain(b:GeographicLocation) range(a:installationTypeCode))
  DatatypeProperty(b:lastChangedDate domain(b:GeographicLocation) range(xsd:date))
  DatatypeProperty(b:latitude domain(b:Location) range(a:latitude))
  DatatypeProperty(b:longName domain(b:GeographicArea) range(xsd:string))
  DatatypeProperty(b:longitude domain(b:Location) range(a:longitude))
  DatatypeProperty(b:name domain(b:GeographicLocation) range(xsd:string))
  DatatypeProperty(b:planCode domain(b:GeographicLocation) range(a:planCode))
  DatatypeProperty(b:shortName domain(b:GeographicArea) range(xsd:string))

  Class(b:Administration complete restriction(b:installationTypeCode value ("ADM")))
  Class(b:Administration partial b:Infrastructure)
  Class(b:AirForceStation complete restriction(b:installationTypeCode value ("AFS")))
  Class(b:AirForceStation partial b:AirLandingArea)
  Class(b:AirLandingArea partial b:GeographicLocation)
  Class(b:AirNationalGuardStation complete restriction(b:installationTypeCode value ("AGS")))
  Class(b:AirNationalGuardStation partial b:MilitaryInstallation)
  Class(b:AirStation complete restriction(b:installationTypeCode value ("ASN")))
  Class(b:AirStation partial b:AirLandingArea)
  Class(b:AirTerminal complete restriction(b:installationTypeCode value ("ATM")))
  Class(b:AirTerminal partial b:Infrastructure)
  Class(b:Airfield complete restriction(b:installationTypeCode value ("AFD")))
  Class(b:Airfield partial b:AirLandingArea)
  Class(b:Airport complete restriction(b:installationTypeCode value ("APT")))
  Class(b:Airport partial b:AirLandingArea)
  Class(b:AmmunitionStorage complete restriction(b:installationTypeCode value ("AMO")))
  Class(b:AmmunitionStorage partial b:SupplyArea)
  Class(b:Annex complete restriction(b:installationTypeCode value ("ANX")))
  Class(b:Annex partial b:Infrastructure)
  Class(b:ArmyInstallation complete restriction(b:installationTypeCode value ("AIN")))
  Class(b:ArmyInstallation partial b:MilitaryInstallation)
  Class(b:Bay complete restriction(b:installationTypeCode value ("BAY")))
  Class(b:Bay partial b:SeaArea)
  Class(b:Canal complete restriction(b:installationTypeCode value ("CNL")))
  Class(b:Canal partial b:SeaArea)
  Class(b:Cape complete restriction(b:installationTypeCode value ("CPE")))
  Class(b:Cape partial b:SeaArea)
  Class(b:Channel complete restriction(b:installationTypeCode value ("CHL")))
  Class(b:Channel partial b:SeaArea)
  Class(b:City complete restriction(b:installationTypeCode value ("CTY")))
  Class(b:City partial b:GeographicalArea)
  Class(b:CivilAirPatrol complete restriction(b:installationTypeCode value ("CAP")))
  Class(b:CivilAirPatrol partial b:MilitaryInstallation)
  EnumeratedClass(b:Classification b:classified b:unclassified)
  Class(b:Clinic complete restriction(b:installationTypeCode value ("CLN")))
  Class(b:Clinic partial b:MedicalFacility)
  Class(b:CoastGuardInstallation complete restriction(b:installationTypeCode value ("CGI")))
  Class(b:CoastGuardInstallation partial b:MilitaryInstallation)
  Class(b:CommandOperations complete restriction(b:installationTypeCode value ("COC")))
  Class(b:CommandOperations partial b:MilitaryInstallation)
  Class(b:Communication complete restriction(b:installationTypeCode value ("COM")))
  Class(b:Communication partial b:Infrastructure)
  Class(b:Country partial b:GeographicArea)
  Class(b:Country partial
    annotation(rdfs:comment ""))

```

```

)
Class(b:DefenseFuelSupportPoint complete restriction(b:installationTypeCode value ("DFP")))
Class(b:DefenseFuelSupportPoint partial b:SupplyArea)
Class(b:Depot complete restriction(b:installationTypeCode value ("DEP")))
Class(b:Depot partial b:SupplyArea)
Class(b:Dispensary complete restriction(b:installationTypeCode value ("DIS")))
Class(b:Dispensary partial b:MedicalFacility)
Class(b:Dock complete restriction(b:installationTypeCode value ("DOC")))
Class(b:Dock partial b:SeaArea)
Class(b:FamilyHousing complete restriction(b:installationTypeCode value ("FHG")))
Class(b:FamilyHousing partial b:HousingCivilianFacility)
Class(b:GeographicArea partial
  annotation(rdfs:comment "A GeographicArea is a larger area such as a state or country.")
)
)
Class(b:GeographicLocation partial b:Location)
Class(b:GeographicLocation partial
  annotation(rdfs:comment "A Geographic Location is a item from the GEOFILE. It has a name and code.
  There are multiple sub-types for a geographic location.")
)
)
Class(b:GeographicalArea partial b:GeographicLocation)
Class(b:Gulf complete restriction(b:installationTypeCode value ("GLF")))
Class(b:Gulf partial b:SeaArea)
Class(b:Hospital complete restriction(b:installationTypeCode value ("HSP")))
Class(b:Hospital partial b:MedicalFacility)
Class(b:HousingCivilianFacility partial b:GeographicLocation)
Class(b:Infrastructure partial b:GeographicLocation)
Class(b:InstallationType partial)
Class(b:InternationalAirport complete restriction(b:installationTypeCode value ("IAP")))
Class(b:InternationalAirport partial b:AirLandingArea)
Class(b:Island complete restriction(b:installationTypeCode value ("ISL")))
Class(b:Island partial b:GeographicalArea)
Class(b:JointUseAirport complete restriction(b:installationTypeCode value ("JAP")))
Class(b:JointUseAirport partial b:AirLandingArea)
Class(b:Lake complete restriction(b:installationTypeCode value ("LKE")))
Class(b:Lake partial b:SeaArea)
Class(b:Location partial
  annotation(rdfs:comment "A Location is a place defined by a longitude, latitude, and an altitude.
  If the altitude is missing, then we assume that it is ground level")
  annotation(rdfs:label "Location")
)
)
Class(b:Maintenance complete restriction(b:installationTypeCode value ("MFC")))
Class(b:Maintenance partial b:Infrastructure)
Class(b:MarineBarracks complete restriction(b:installationTypeCode value ("MBK")))
Class(b:MarineBarracks partial b:MilitaryInstallation)
Class(b:MarineCorpsCamp complete restriction(b:installationTypeCode value ("MCC")))
Class(b:MarineCorpsCamp partial b:MilitaryInstallation)
Class(b:MarineGroundInstallation complete restriction(b:installationTypeCode value ("MGI")))
Class(b:MarineGroundInstallation partial b:MilitaryInstallation)
Class(b:MedicalFacility partial b:GeographicLocation)
Class(b:MilitaryAirport complete restriction(b:installationTypeCode value ("MAP")))
Class(b:MilitaryAirport partial b:AirLandingArea)
Class(b:MilitaryInstallation partial b:GeographicLocation)
Class(b:Missile complete restriction(b:installationTypeCode value ("MSL")))
Class(b:Missile partial b:OtherInstallation)
Class(b:Navaid complete restriction(b:installationTypeCode value ("NAV")))
Class(b:Navaid partial b:OtherInstallation)
Class(b:NavalActivity complete restriction(b:installationTypeCode value ("NAC")))
Class(b:NavalActivity partial b:OtherInstallation)
Class(b:NavalBase complete restriction(b:installationTypeCode value ("NBA")))
Class(b:NavalBase partial b:MilitaryInstallation)
Class(b:NavyInstallation complete restriction(b:installationTypeCode value ("NYI")))
Class(b:NavyInstallation partial b:MilitaryInstallation)
Class(b>Ocean complete restriction(b:installationTypeCode value ("OCN")))
Class(b>Ocean partial b:SeaArea)
Class(b:OperatingArea complete restriction(b:installationTypeCode value ("OPA")))
Class(b:OperatingArea partial b:GeographicalArea)
Class(b:OtherInstallation partial b:GeographicLocation)
Class(b:POLRetailDistributionStation complete restriction(b:installationTypeCode value ("POL")))
Class(b:POLRetailDistributionStation partial b:SupplyArea)
Class(b:Passage complete restriction(b:installationTypeCode value ("PSG")))
Class(b:Passage partial b:SeaArea)
Class(b:Port complete restriction(b:installationTypeCode value ("PRT")))
Class(b:Port partial b:SeaArea)
Class(b:RadarInstallation complete restriction(b:installationTypeCode value ("RTR")))
Class(b:RadarInstallation partial b:Infrastructure)
Class(b:RadarReceiver complete restriction(b:installationTypeCode value ("RRC")))
Class(b:RadarReceiver partial b:Infrastructure)
Class(b:RadioRelay complete restriction(b:installationTypeCode value ("RRL")))
Class(b:RadioRelay partial b:Infrastructure)

```

```

Class(b:RailroadJunction complete restriction(b:installationTypeCode value ("RRJ")))
Class(b:RailroadJunction partial b:Infrastructure)
Class(b:Recreation complete restriction(b:installationTypeCode value ("REC")))
Class(b:Recreation partial b:HousingCivilianFacility)
Class(b:ReserveTrainingCenter complete restriction(b:installationTypeCode value ("RTC")))
Class(b:ReserveTrainingCenter partial b:Infrastructure)
Class(b:RuralPopulatedArea complete restriction(b:installationTypeCode value ("RPA")))
Class(b:RuralPopulatedArea partial b:GeographicalArea)
Class(b:School complete restriction(b:installationTypeCode value ("SCH")))
Class(b:School partial b:HousingCivilianFacility)
Class(b:Sea complete restriction(b:installationTypeCode value ("SEA")))
Class(b:Sea partial b:SeaArea)
Class(b:SeaArea partial b:GeographicLocation)
Class(b:Service complete restriction(b:installationTypeCode value ("SVC")))
Class(b:Service partial b:Infrastructure)
Class(b:State partial b:GeographicArea)
Class(b:State partial
  annotation(rdfs:comment ""))
)
EnumeratedClass(b:Status b:active b:cancelled b:S)
Class(b:Storage complete restriction(b:installationTypeCode value ("STG")))
Class(b:Storage partial b:SupplyArea)
Class(b:Strait complete restriction(b:installationTypeCode value ("STR")))
Class(b:Strait partial b:SeaArea)
Class(b:SupplyArea partial b:GeographicLocation)
Class(b:Training complete restriction(b:installationTypeCode value ("TNG")))
Class(b:Training partial b:Infrastructure)
Class(b:WaterArea partial b:GeographicArea)
Class(b:WaterArea partial
  annotation(rdfs:comment ""))
)
Class(b:WeatherStation complete restriction(b:installationTypeCode value ("WAE")))
Class(b:WeatherStation partial b:Infrastructure)

AnnotationProperty(rdfs:comment)
AnnotationProperty(rdfs:label)
AnnotationProperty(owl:versionInfo)

Individual(b:S type(b:Status))
Individual(b:active type(b:Status))
Individual(b:cancelled type(b:Status))
Individual(b:classified type(b:Classification))
Individual(b:unclassified type(b:Classification))

Datatype(a:cc)
Datatype(a:installationTypeCode)
Datatype(a:longitude)
Datatype(a:geocode)
Datatype(a:icaoCode)
Datatype(a:latitude)
Datatype(a:planCode)
)

```

The original ontology in OWL/RDF format is available at:

<http://www.daml.org/2001/02/geofile/geofile-ont>

Note that this ontology is in OWL Full, in order to show it in the more concise abstract syntax and to be able to reason with it using Description Logic Reasoners we converted it to OWL DL by applying the following fixes:

- rdfs:class statements have been transformed to owl:class statements
- rdf:property has been transformed to owl:DatatypeProperty respectively owl:ObjectProperty
- unknown data types have been explicitly declared

The rdf/xml version of the ontology with those fixes is available at:

<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041119/resources/owl-ontologies/geofile.owl>

Listing B6: OWL - Travel Itinerary Ontology

Namespace(rdf = http://www.w3.org/1999/02/22-rdf-syntax-ns#)
Namespace(xsd = http://www.w3.org/2001/XMLSchema#)
Namespace(rdfs = http://www.w3.org/2000/01/rdf-schema#)
Namespace(owl = http://www.w3.org/2002/07/owl#)
Namespace(a = http://www.daml.org/2001/06/itinerary/itinerary-ont#)
Namespace(b = http://www.daml.org/2001/06/itinerary/icao#)
Namespace(c = http://www.daml.ricmu.edu/ont/AirportCodes.daml#)

Ontology(

Annotation(owl:versionInfo "\$Id: itinerary-abstract.owl.html,v 1.1 2004/11/19 14:51:57 hlausen Exp \$")
Annotation(rdfs:comment "Travel Itinerary")

Class(b:Airline partial)
 EnumeratedClass(a:Aircraft a:A320 a:B737 a:A300 a:B767 a:B777 a:B747 a:A340 a:B727 a:B757)
 EnumeratedClass(a:**Class** a:Business a:Coach a:First)

Class(a:Flight partial
 restriction(a:aircraft **allValuesFrom** (a:Aircraft))
 restriction(a:aircraft cardinality(1))
 restriction(a:airline **allValuesFrom** (b:Airline))
 restriction(a:airline cardinality(1))
 restriction(a:arrive **allValuesFrom** (xsd:dateTime))
 restriction(a:arrive cardinality(1))
 restriction(a:class **allValuesFrom** (a:**Class**))
 restriction(a:class cardinality(1))
 restriction(a:depart **allValuesFrom** (xsd:dateTime))
 restriction(a:depart cardinality(1))
 restriction(a:destination **allValuesFrom** (c:AirportCode))
 restriction(a:destination cardinality(1))
 restriction(a:duration **allValuesFrom** (xsd:timeDuration))
 restriction(a:duration cardinality(1))
 restriction(a:flight **allValuesFrom** (xsd:nonNegativeInteger))
 restriction(a:flight cardinality(1))
 restriction(a:meal **allValuesFrom** (a:Meal))
 restriction(a:miles **allValuesFrom** (xsd:integer))
 restriction(a:miles cardinality(1))
 restriction(a:origin **allValuesFrom** (c:AirportCode))
 restriction(a:origin cardinality(1))
 restriction(a:seat **allValuesFrom** (xsd:string))

Class(a:HotelReservation partial
 restriction(a:address **allValuesFrom** (xsd:string))
 restriction(a:address cardinality(1))
 restriction(a:checkin **allValuesFrom** (xsd:date))
 restriction(a:checkin cardinality(1))
 restriction(a:checkout **allValuesFrom** (xsd:date))
 restriction(a:checkout cardinality(1))
 restriction(a:confirmation **allValuesFrom** (xsd:string))
 restriction(a:confirmation cardinality(1))
 restriction(a:hotelName **allValuesFrom** (xsd:string))
 restriction(a:hotelName cardinality(1))
 restriction(a:rate **allValuesFrom** (xsd:decimal))
 restriction(a:rate cardinality(1))
 restriction(a:smoking **allValuesFrom** (xsd:boolean))
 restriction(a:smoking maxCardinality(1))

Class(a:Itinerary partial
 restriction(a:flight **allValuesFrom** (a:Flight))
 restriction(a:hotel **allValuesFrom** (a:HotelReservation))
 restriction(a:passenger **allValuesFrom** (xsd:string))
 restriction(a:passenger cardinality(1))
 restriction(a:rentalCar **allValuesFrom** (a:RentalCar))
 restriction(a:rln **allValuesFrom** (a:RecordLocatorNumber))

EnumeratedClass(a:Meal a:Lunch a:Breakfast a:Snack a:Dinner)

Class(a:RecordLocatorNumber partial
 restriction(a:airline **allValuesFrom** (b:Airline))
 restriction(a:airline cardinality(1))
 restriction(a:rloc **allValuesFrom** (xsd:string))
 restriction(a:rloc cardinality(1))

Class(a:RentalCar partial)
Class(c:AirportCode partial)
Class(xsd:nonNegativeInteger partial)

AnnotationProperty(rdfs:comment)
AnnotationProperty(owl:versionInfo)

ObjectProperty(a:aircraft)
ObjectProperty(a:airline)
ObjectProperty(a:class)
ObjectProperty(a:destination)

```

ObjectProperty(a:flight)
ObjectProperty(a:meal)
ObjectProperty(a:origin)
ObjectProperty(a:rentalCar)
ObjectProperty(a:rln)

DatatypeProperty(a:address)
DatatypeProperty(a:arrive)
DatatypeProperty(a:checkin)
DatatypeProperty(a:checkout)
DatatypeProperty(a:confirmation)
DatatypeProperty(a:depart)
DatatypeProperty(a:duration)
DatatypeProperty(a:hotel)
DatatypeProperty(a:hotelName)
DatatypeProperty(a:miles)
DatatypeProperty(a:passenger)
DatatypeProperty(a:rate)
DatatypeProperty(a:rloc)
DatatypeProperty(a:seat)
DatatypeProperty(a:smoking)

Individual(a:A300 type(a:Aircraft))
Individual(a:A320 type(a:Aircraft))
Individual(a:A340 type(a:Aircraft))
Individual(a:B727 type(a:Aircraft))
Individual(a:B737 type(a:Aircraft))
Individual(a:B747 type(a:Aircraft))
Individual(a:B757 type(a:Aircraft))
Individual(a:B767 type(a:Aircraft))
Individual(a:B777 type(a:Aircraft))
Individual(a:Breakfast type(a:Meal))
Individual(a:Business type(a:Class))
Individual(a:Coach type(a:Class))
Individual(a:Dinner type(a:Meal))
Individual(a:First type(a:Class))
Individual(a:Lunch type(a:Meal))
Individual(a:Snack type(a:Meal))
)

```

The original ontology in OWL/RDF format is available at:

<http://www.daml.org/2001/06/itinerary/itinerary-ont>

B.2 Related Ontologies

Within the elaboration of the use case, the RosettaNet's PIP3A4 "PurchaseOrderRequest" has been transformed into a WSMO ontology. As the RosettaNet model is designed for B2B purchase orders, it is not applicable for the B2C setting of the use case demonstrated in this document. However, the Purchase Ontology of this use case as defined in Listing 3, [Section 3.1](#), is based and heavily related to the RosettaNet Purchase Model. The listing below therefore provides the RosettaNet Purchase Model modeled in WSML.

The ontology is an WSML representation of the RosettaNet's PIP3A4 "PurchaseOrderRequest" [\[RosettaNet\]](#). RosettaNet is a consortium of major Information Technology, Electronic Components, Semiconductor Manufacturing, Telecommunications and Logistics companies working to create and implement industry-wide, open e-business process standards. These standards form a common e-business language, aligning processes between supply chain partners on a global basis.

Every standard business transaction within the RosettaNet trading network is defined in a so called PIP (Partner Interface Process) which defines the XML code, activities, decisions and Partner Role interactions between two partners in the supply chain. Each partner participating in the "Partner Interface Process" must fulfill the obligations specified in a PIP. These PIPs are organized into seven clusters, or groups of core business processes, that represent the backbone of the trading network. Each cluster is broken down into segments which are cross-enterprise processes involving more than one type of trading partner. Within each segment are individual PIPs, whereas the above mentioned PIP3A4 is part of Segment 3A

"Quote and Order Entry". This segment allows partners to exchange price and availability information, quotes, purchase orders and order status, and enables partners to send requested orders, or shopping carts, to other partners.

At the current state this domain ontology is preliminary and will be further enhanced in future versions. As far as RosettaNet's PIPs are only intended for the use in the above mentioned industry sectors we also consider and partly work on the ontologizing of other conceptualizations, inter alia ebXML [\[ebXML\]](#) and EDIFACT [\[EDIFACT\]](#).

Listing B5: RosettaNet's PIP3A4 "PurchaseOrderRequest" in WSMO

```

namespace <<http://www.wsmo.org/ontologies/rosettanet#>>
  dc: <<http://purl.org/dc/elements/1.1#>>
  cu: <<http://www.wsmo.org/2004/d3/d3.2/v0.1/20040628/resources/owlCurrencyMediator.wsml#>>
  dt: <<http://www.wsmo.org/ontologies/dateTime#>>
  targetnamespace: <<http://www.wsmo.org/ontologies/rosettanet#>>

ontology <<http://wsmo.org/ontologies/rosettanet/>>

  nonFunctionalProperties
    dc:title hasValue "Purchase Ontology"
    dc:creator hasValue "DERI International"
    dc:subject hasValues {"Purchase Order Request", "Buyer", "Seller", "Product Line Item", "Price", "Payment method", "Deliv
    dc:description hasValue "general purchase order request ontology based on the 3A4 PIP of RosettaNet"
    dc:publisher hasValue "DERI International"
    dc:contributor hasValues {<<http://sw.deri.ie/~haller/foaf.rdf>>}
    dc:date hasValue "2004-10-04"
    dc:type hasValue <<http://www.wsmo.org/2004/d2/#ontologies>>
    dc:format hasValue "text/html"
    dc:language hasValue "en-US"
    dc:relation hasValues {<<http://www.daml.ecs.soton.ac.uk/ont/currency.daml>>,
      <<http://www.wsmo.org/ontologies/dateTime>>}
    dc:rights hasValue <<http://www.deri.org/privacy.html>>
    version hasValue "$Revision: 1.1 $"
  endNonFunctionalProperties

  importedOntologies
    <<http://www.wsmo.org/ontologies/dateTime>>

  usedMediators
    ooMediator <<http://www.wsmo.org/2004/d3/d3.3/v0.1/20041008/resources/owlCurrencyMediator.wsml>>

  comment: conceptDefinitions
    concept pip3A4Purchase
      nonFunctionalProperties
        dc:description hasValue "Rosettanets Purchase Order Request Document"
      endNonFunctionalProperties
      buyer {1} ofType buyer
      globaldocumentfunctioncode ofType globalDocumentFunctionCode
      purchaseorder {1} ofType purchaseOrder
      thisdocumentgenerationdatetime {1} ofType thisDocumentGenerationDateTime
      thisdocumentidentifier {1} ofType thisDocumentIdentifier
      seller {1} ofType seller

    concept buyer
      nonFunctionalProperties
        dc:description hasValue "The role initiating a business document exchange."
      endNonFunctionalProperties
      partnerroledescription {1} ofType partnerRoleDescription

    concept seller
      nonFunctionalProperties
        dc:description hasValue "The role receiving the document in a business document exchange."
      endNonFunctionalProperties
      partnerroledescription {1} ofType partnerRoleDescription

    concept partnerRoleDescription
      nonFunctionalProperties
        dc:description hasValue "The collection of business properties that
          describe a business partners role in the purchase order request."
      endNonFunctionalProperties
      contactinformation ofType contactInformation
      globalpartnerroleclassificationcode {1} ofType globalPartnerRoleClassificationCode
      partnerdescription ofType partnerDescription

    concept contactInformation
      nonFunctionalProperties
        dc:description hasValue "The collection of business properties that
          provide communication and address information for
          contacting a person, organization or business."
      endNonFunctionalProperties
      contactname ofType contactName
      emailaddress ofType emailAddress
      facsimilenumbers ofType facsimileNumber
      telephonenumber ofType telephoneNumber
      physicallocation ofType physicalLocation

    concept contactName
      nonFunctionalProperties

```

```

    dc:description hasValue "Name of the contact person(s) within the organization."
  endNonFunctionalProperties
  freeformtext {1} ofType freeFormText

concept freeFormText subConceptOf xsd:string
nonFunctionalProperties
  dc:description hasValue "Unformatted text."
endNonFunctionalProperties

concept emailAddress subConceptOf xsd:string
nonFunctionalProperties
  dc:description hasValue "Electronic mail address."
endNonFunctionalProperties

concept facsimileNumber
nonFunctionalProperties
  dc:description hasValue "The numerical schema designed to achieve contact via facsimile."
endNonFunctionalProperties
  communicationsnumber {1} ofType communicationsNumber

concept communicationsNumber subConceptOf xsd:string
nonFunctionalProperties
  dc:description hasValue "The electro-technical communication number,
    e.g., telephone number, facsimile number, pager number."
endNonFunctionalProperties

concept telephoneNumber
nonFunctionalProperties
  dc:description hasValue "The numerical schema designed to achieve contact via telephone."
endNonFunctionalProperties
  communicationsnumber {1} ofType communicationsNumber

concept globalPartnerRoleClassificationCode subConceptOf xsd:string
nonFunctionalProperties
  dc:description hasValue "Code identifying a partys role in the supply chain."
endNonFunctionalProperties

concept partnerDescription
nonFunctionalProperties
  dc:description hasValue "The collection of business properties that
    describe a business partners identity, their contact information,
    where they are physically located and their function in a supply chain."
endNonFunctionalProperties
  businessdescription {1} ofType businessDescription
  globalpartnerclassificationcode ofType globalPartnerClassificationCode
  contactinformation ofType contactInformation
  physicallocation ofType physicalLocation

concept businessDescription
nonFunctionalProperties
  dc:description hasValue "The collection of business properties that
    describe a business identity and location."
endNonFunctionalProperties
  globalbusinessidentifier ofType globalBusinessIdentifier
  globalsupplychaincode ofType globalSupplyChainCode
  businessname ofType businessName
  partnerbusinessidentification {1 n} ofType partnerBusinessIdentification
  nationalbusinesstaxidentifier ofType nationalBusinessTaxIdentifier

concept globalBusinessIdentifier subConceptOf xsd:integer
nonFunctionalProperties
  dc:description hasValue "A unique business identifier."
endNonFunctionalProperties

concept globalSupplyChainCode subConceptOf xsd:string
nonFunctionalProperties
  dc:description hasValue "Code identifying the supply chain for the partners function."
endNonFunctionalProperties

concept globalPartnerClassificationCode subConceptOf xsd:string
nonFunctionalProperties
  dc:description hasValue "Code identifying a partners function in the supply chain."
endNonFunctionalProperties

concept globalDocumentFunctionCode subConceptOf xsd:string
nonFunctionalProperties
  dc:description hasValue "Code identifying the function of
    a document as either a request or a response."
endNonFunctionalProperties

```

concept purchaseOrder
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that describe a buyers offer to purchase a quantity of products at an agreed price **and** schedule."
endNonFunctionalProperties
 accountdescription **ofType** accountDescription
 comments **ofType** comments
 contractinformation {1 n} **ofType** contractInformation
 documentreference {1 n} **ofType** documentReference
 financingterms {1 n} **ofType** financingTerms
 generalservicesadministrationnumber **ofType** generalServicesAdministrationNumber
 globalgovernmentpriorityratingcode **ofType** globalGovernmentPriorityRatingCode
 globalpurchaseorderfillprioritycode **ofType** globalPurchaseOrderFillPriorityCode
 globalpurchaseordertypecode {1 n} **ofType** globalPurchaseOrderTypeCode
 governmentcontractidentifier **ofType** governmentContractIdentifier
 installat **ofType** installAt
 isdropship {1} **ofType** isDropShip
 ordershippinginformation **ofType** orderShippingInformation
 productlineitem {1 n} **ofType** productLineItem
 proprietaryinformation **ofType** proprietaryInformation
 requestedevent **ofType** requestedEvent
 requestedshipfrom {1 n} **ofType** requestedShipFrom
 secondarybuyer **ofType** secondaryBuyer
 shipto **ofType** shipTo
 taxexemptstatus **ofType** taxExemptStatus
 totalamount **ofType** totalAmount

concept accountDescription
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that describe a customer **or** supplier account."
endNonFunctionalProperties
 accountname {1} **ofType** accountName
 accountnumber **ofType** accountNumber
 billto **ofType** billTo
 creditcard **ofType** creditCard
 financedby **ofType** financedBy
 globalaccountclassificationcode **ofType** globalAccountClassificationCode
 prepaymentchecknumber **ofType** prePaymentCheckNumber
 wiretransferidentifier **ofType** wireTransferIdentifier

concept po:comments
nonFunctionalProperties
 dc:description **hasValue** "Free form textual description of a general nature."
endNonFunctionalProperties
 freeformtext {1} **ofType** freeFormText

concept accountName
nonFunctionalProperties
 dc:description **hasValue** "The name of a bank account."
endNonFunctionalProperties
 freeformtext {1} **ofType** freeFormText

concept accountNumber **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Identification number of an account."
endNonFunctionalProperties

concept billTo
nonFunctionalProperties
 dc:description **hasValue** "The party that will pay the invoice."
endNonFunctionalProperties
 partnerdescription **ofType** partnerDescription

concept businessName
nonFunctionalProperties
 dc:description **hasValue** "The name of a business entity."
endNonFunctionalProperties
 freeformtext {1} **ofType** freeFormText

concept partnerBusinessIdentification
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that allow for the proprietary identification of a business entity."
endNonFunctionalProperties
 proprietarybusinessidentifier {1} **ofType** proprietaryBusinessIdentifier
 proprietarydomainidentifier {1} **ofType** proprietaryDomainIdentifier

proprietaryIdentifierAuthority **ofType** proprietaryIdentifierAuthority

concept proprietaryBusinessIdentifier **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "A unique business identifier assigned
 and administered by a private authority."
endNonFunctionalProperties

concept proprietaryDomainIdentifier **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "A descriptor that is used to categorize an organization
 or business entity that is in the Proprietary Business Identifier."
endNonFunctionalProperties

concept proprietaryIdentifierAuthority **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "A unique name that identifies an organization or business entity
 that is responsible for managing one or more lists of identifiers."
endNonFunctionalProperties

concept physicalLocation
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that
 identify and describe the actual physical location of an entity
 as prescribed by local postal authorities,
 including country identification."
endNonFunctionalProperties
 globallocationidentifier **ofType** globalLocationIdentifier
 partnerlocationidentification {1 n} **ofType** partnerLocationIdentification
 physicaladdress **ofType** physicalAddress

concept globalLocationIdentifier **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Location uniquely identified by the DUNS +4 number."
endNonFunctionalProperties

concept partnerLocationIdentification
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that
 allow for the proprietary identification of a business location."
endNonFunctionalProperties
 proprietarydomainidentifier {1} **ofType** proprietaryDomainIdentifier
 proprietaryIdentifierAuthority **ofType** proprietaryIdentifierAuthority
 proprietarylocationidentifier {1} **ofType** proprietaryLocationIdentifier

concept proprietaryLocationIdentifier **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "A unique location identifier assigned
 and administered by a private authority."
endNonFunctionalProperties

concept physicalAddress
nonFunctionalProperties
 dc:description **hasValue** "The actual physical location of an entity as
 prescribed by local postal authorities, including
 country identification as it relates to the party or a product."
endNonFunctionalProperties
 addressline1 **ofType** addressLine1
 addressline2 **ofType** addressLine2
 addressline3 **ofType** addressLine3
 cityname **ofType** cityName
 globalcountrycode **ofType** globalCountryCode
 nationalpostalcode **ofType** nationalPostalCode
 postofficeboxidentifier **ofType** postOfficeBoxIdentifier
 regionname **ofType** regionName
 globallocationidentifier **ofType** globalLocationIdentifier
 partnerlocationidentification {1 n} **ofType** partnerLocationIdentification

concept addressLine1
nonFunctionalProperties
 dc:description **hasValue** "Line 1 of the physical address."
endNonFunctionalProperties
 freeformtext {1} **ofType** freeFormText

concept addressLine2
nonFunctionalProperties
 dc:description **hasValue** "Line 2 of the physical address."
endNonFunctionalProperties
 freeformtext {1} **ofType** freeFormText

```

concept addressLine3
  nonFunctionalProperties
    dc:description hasValue "Line 3 of the physical address."
  endNonFunctionalProperties
  freeformtext {1} ofType freeFormText

concept cityName
  nonFunctionalProperties
    dc:description hasValue "The name of a city."
  endNonFunctionalProperties
  freeformtext {1} ofType freeFormText

concept globalCountryCode subConceptOf xsd:string
  nonFunctionalProperties
    dc:description hasValue "Code identifying the two character
      country code specified in ISO 3166-1993."
  endNonFunctionalProperties

concept nationalPostalCode subConceptOf xsd:string
  nonFunctionalProperties
    dc:description hasValue "Code identifying geographic
      location as specified by a national postal code."
  endNonFunctionalProperties

concept postOfficeBoxIdentifier
  nonFunctionalProperties
    dc:description hasValue "The proprietary identity of a physical address,
      located at a post office, designed solely to accept and receive mail."
  endNonFunctionalProperties
  freeformtext {1} ofType freeFormText

concept regionName
  nonFunctionalProperties
    dc:description hasValue "The name of a state or province within a country."
  endNonFunctionalProperties
  freeformtext {1} ofType freeFormText

concept creditCard
  nonFunctionalProperties
    dc:description hasValue "A collection of business properties
      that describe information about a credit card."
  endNonFunctionalProperties
  cardholdername {1} ofType cardHolderName
  creditcardidentifier {1} ofType creditCardIdentifier
  expirydate {1} ofType expiryDate
  globalcreditcardclassificationcode {1} ofType globalCreditCardClassificationCode
  proprietarycididentifier ofType proprietaryCIDIdentifier

concept cardHolderName
  nonFunctionalProperties
    dc:description hasValue "The name of the owner of a credit card."
  endNonFunctionalProperties
  freeformtext {1} ofType freeFormText

concept creditCardIdentifier
  nonFunctionalProperties
    dc:description hasValue "The unique number that identifies a credit card."
  endNonFunctionalProperties
  proprietaryreferenceidentifier {1} ofType proprietaryReferenceIdentifier

concept proprietaryReferenceIdentifier subConceptOf xsd:string
  nonFunctionalProperties
    dc:description hasValue "A unique reference identifier for goods,
      services or business documents."
  endNonFunctionalProperties

concept expiryDate
  nonFunctionalProperties
    dc:description hasValue "The date that a contractual agreement expires."
  endNonFunctionalProperties
  expMonth {1} ofType dt:monthOfYear
  expYear {1} ofType dt:year

concept globalCreditCardClassificationCode subConceptOf xsd:string
  nonFunctionalProperties
    dc:description hasValue "Code identifying the type of credit card used."
  endNonFunctionalProperties

```

concept proprietaryCIDIdentifier **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Unique identifier for credit card purchase activity utilized by American Express."
endNonFunctionalProperties

concept financedBy
nonFunctionalProperties
 dc:description **hasValue** "The party who is the financier."
endNonFunctionalProperties
 partnerdescription **ofType** partnerDescription

concept globalAccountClassificationCode **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Account classification indicating its functionality, e.g., credit card account, debit card account."
endNonFunctionalProperties

concept prePaymentCheckNumber
nonFunctionalProperties
 dc:description **hasValue** "The check number issued to prepay a monetary amount for an account."
endNonFunctionalProperties
 checknumber {1} **ofType** checkNumber

concept checkNumber **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "The identification code of a bank cheque."
endNonFunctionalProperties

concept wireTransferIdentifier **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "A unique identity of a wire transfer used for reference."
endNonFunctionalProperties

concept contractInformation
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that represent a business arrangement for the supply of goods or services at an agreed price."
endNonFunctionalProperties
 contractidentifier {1} **ofType** contractIdentifier
 primarycontractwith **ofType** primaryContractWith
 secondarycontractwith **ofType** secondaryContractWith

concept contractIdentifier
nonFunctionalProperties
 dc:description **hasValue** "The unique number than identifies a contract."
endNonFunctionalProperties
 proprietarydocumentidentifier {1} **ofType** proprietaryDocumentIdentifier

concept proprietaryDocumentIdentifier **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Unique identifier, i.e. a numeric value or alphanumeric value, for a business document."
endNonFunctionalProperties

concept primaryContractWith
nonFunctionalProperties
 dc:description **hasValue** "The principal party in a binding agreement between two or more persons or parties."
endNonFunctionalProperties
 partnerdescription {1} **ofType** partnerDescription

concept secondaryContractWith
nonFunctionalProperties
 dc:description **hasValue** "The subsequent party in a binding agreement between two or more persons or parties."
endNonFunctionalProperties
 partnerdescription {1} **ofType** partnerDescription

concept documentReference
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that allows the description of multiple proprietary documents and applicable line number references."
endNonFunctionalProperties
 datetimestamp **ofType** dt:dateAndTime
 globaldocumentreferencetypecode {1} **ofType** globalDocumentReferenceTypeCode
 globalpartnerroleclassificationcode {1} **ofType** globalPartnerRoleClassificationCode

linenumber **ofType** lineNumber
 proprietarydocumentidentifier {1} **ofType** proprietaryDocumentIdentifier
 revisionnumber **ofType** revisionNumber

concept globalDocumentReferenceTypeCode **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Code identifying the type of business document used for referencing within another business document."
endNonFunctionalProperties

concept lineNumber **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Number of the line in the document."
endNonFunctionalProperties

concept revisionNumber **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "An incremental number used to identify changes."
endNonFunctionalProperties

concept financingTerms
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that describe financing terms."
endNonFunctionalProperties
 globalfinancetermscode **ofType** globalFinanceTermsCode
 paymentterms {1 n} **ofType** paymentTerms

concept globalFinanceTermsCode **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Code identifying the terms that govern financing."
endNonFunctionalProperties

concept paymentTerms
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that describe payment terms."
endNonFunctionalProperties
 discounts {1 n} **ofType** discounts
 globalpaymentconditioncode **ofType** globalPaymentConditionCode
 nettermsday **ofType** netTermsDay
 nettermsdays **ofType** netTermsDays
 percentdue **ofType** percentDue

concept discounts
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that describe payment discounts."
endNonFunctionalProperties
 discountday **ofType** discountDay
 discountdays **ofType** discountDays
 discountpercent **ofType** discountPercent

concept discountDay
nonFunctionalProperties
 dc:description **hasValue** "The specific day of the month a payment is required in order to receive a discount."
endNonFunctionalProperties
 dayofmonth {1} **ofType** dt:dayOfMonth

concept discountDays
nonFunctionalProperties
 dc:description **hasValue** "The number of days within which a payment is required in order to receive a discount."
endNonFunctionalProperties
 countableamount {1} **ofType** countableAmount

concept countableAmount **subConceptOf** xsd:integer
nonFunctionalProperties
 dc:description **hasValue** "Dimensionless magnitude, e.g. number of products."
endNonFunctionalProperties

concept discountPercent
nonFunctionalProperties
 dc:description **hasValue** "The financial percent representing a reduction to the total amount due."
endNonFunctionalProperties
 percentamount {1} **ofType** percentAmount

concept percentAmount **subConceptOf** xsd:float
nonFunctionalProperties
 dc:description **hasValue** "A real number representing a percentage value, e.g. 75.125 represents 75 1/8 percent."

endNonFunctionalProperties**concept** globalPaymentConditionCode **subConceptOf** xsd:string**nonFunctionalProperties**dc:description **hasValue** "A code identifying the conditions under which payment will be made."**endNonFunctionalProperties****concept** netTermsDay**nonFunctionalProperties**dc:description **hasValue** "The specific day of the month a payment is due without incurring late charges."**endNonFunctionalProperties**dayofmonth {1} **ofType** dt:dayOfMonth**concept** netTermsDays**nonFunctionalProperties**dc:description **hasValue** "The number of days within which a payment is due without incurring late charges."**endNonFunctionalProperties**countableamount {1} **ofType** countableAmount**concept** percentDue**nonFunctionalProperties**dc:description **hasValue** "The amount owed expressed as a percentage."**endNonFunctionalProperties**percentamount {1} **ofType** percentAmount**concept** generalServicesAdministrationNumber**nonFunctionalProperties**dc:description **hasValue** "Identifying number relating to a pre-established end-user pricing agreement."**endNonFunctionalProperties**proprietarydocumentidentifier {1} **ofType** proprietaryDocumentIdentifier**concept** globalGovernmentPriorityRatingCode **subConceptOf** xsd:string**nonFunctionalProperties**dc:description **hasValue** "If a contract number **exists and** PO type is Government, a priority rating code is required."**endNonFunctionalProperties****concept** globalPurchaseOrderFillPriorityCode **subConceptOf** xsd:string**nonFunctionalProperties**dc:description **hasValue** "Code identifying fill priority for manufacturing in a constrained condition. Value to be determined by Trading Partner Agreement."**endNonFunctionalProperties****concept** globalPurchaseOrderTypeCode **subConceptOf** xsd:string**nonFunctionalProperties**dc:description **hasValue** "Code identifying category specification for a purchase order."**endNonFunctionalProperties****concept** governmentContractIdentifier**nonFunctionalProperties**dc:description **hasValue** "The unique number that identifies a government contract."**endNonFunctionalProperties**proprietarydocumentidentifier {1} **ofType** proprietaryDocumentIdentifier**concept** installAt**nonFunctionalProperties**dc:description **hasValue** "The partner **and/or** location to which the product must be **set** up for use **or** service."**endNonFunctionalProperties**partnerdescription {1} **ofType** partnerDescription**concept** isDropShip**nonFunctionalProperties**dc:description **hasValue** "Indicates whether the order is a drop shipment."**endNonFunctionalProperties**affirmationindicator {1} **ofType** affirmationIndicator**concept** affirmationIndicator **subConceptOf** xsd:string**nonFunctionalProperties**dc:description **hasValue** "Used to indicate "Yes", "No" statements."**endNonFunctionalProperties****concept** orderShippingInformation**nonFunctionalProperties**dc:description **hasValue** "The collection of business properties that describe information relating to shipping a product."**endNonFunctionalProperties**

carrierinformation **ofType** carrierInformation
 globalfreeonboardcode **ofType** globalFreeOnBoardCode
 globalshipmenttermscode **ofType** globalShipmentTermsCode
 globalshippingservicelevelcode **ofType** globalShippingServiceLevelCode
 globalspecialfulfillmentrequestcode {1 n} **ofType** globalSpecialFulfillmentRequestCode
 packlistrequirements **ofType** packListRequirements
 specialhandlinginstruction **ofType** specialHandlingInstruction

concept carrierInformation

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe a carriers identification."

endNonFunctionalProperties

accountidentifier **ofType** accountIdentifier

globalcarriercode {1} **ofType** globalCarrierCode

concept accountIdentifier

nonFunctionalProperties

dc:description **hasValue** "The unique identifier that identifies an account."

endNonFunctionalProperties

proprietaryreferenceidentifier {1} **ofType** proprietaryReferenceIdentifier

concept globalCarrierCode **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "A unique carrier identification code, based on Standard Carrier Alpha Code(s) (SCAC)."

endNonFunctionalProperties

concept globalFreeOnBoardCode **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Code identifying a specified point where a product is delivered **or** placed on board a carrier without charge."

endNonFunctionalProperties

concept globalShipmentTermsCode **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Code identifying the terms under which a product is shipped."

endNonFunctionalProperties

concept globalShippingServiceLevelCode **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Code identifying the shipping service level, e.g., overnight, same day."

endNonFunctionalProperties

concept globalSpecialFulfillmentRequestCode **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Code identifying a special fulfillment request, e.g. delivery options."

endNonFunctionalProperties

concept packListRequirements

nonFunctionalProperties

dc:description **hasValue** "Free form textual description, on the pack list, of requirements relating to the packing of the product."

endNonFunctionalProperties

freeformtext {1} **ofType** freeFormText

concept specialHandlingInstruction

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe product packaging **or** shipping handling instructions."

endNonFunctionalProperties

globalspecialhandlingcode {1 n} **ofType** globalSpecialHandlingCode

specialhandlingtext **ofType** specialHandlingText

concept globalSpecialHandlingCode **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Code identifying special handling **or** packaging requirements for the product."

endNonFunctionalProperties

concept specialHandlingText

nonFunctionalProperties

dc:description **hasValue** "Free form textual description for how specified goods, packages **or** containers should be handled."

endNonFunctionalProperties

freeformtext {1} **ofType** freeFormText

concept productLineItem

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that

describe a business document entry for a product."

endNonFunctionalProperties

comments **ofType** comments
 contractinformation {1 n} **ofType** contractInformation
 countryoforigin **ofType** countryOfOrigin
 customerinformation {1 n} **ofType** customerInformation
 documentreference {1 n} **ofType** documentReference
 expeditereferenceidentifier **ofType** expediteReferenceIdentifier
 globalproductunitofmeasurecode {1} **ofType** globalProductUnitOfMeasureCode
 globalpurchaseorderfillprioritycode **ofType** globalPurchaseOrderFillPriorityCode
 installat **ofType** installAt
 isdropship {1} **ofType** isDropShip
 linenummer {1} **ofType** lineNumber
 orderquantity {1} **ofType** orderQuantity
 ordershippinginformation **ofType** orderShippingInformation
 productidentification {1} **ofType** productIdentification
 productsublineitem {1 n} **ofType** productSubLineItem
 proprietaryinformation **ofType** proprietaryInformation
 requestedevent {1} **ofType** requestedEvent
 requestedshipfrom {1 n} **ofType** requestedShipFrom
 requestedunitprice **ofType** requestedUnitPrice
 shipto **ofType** shipTo
 taxexemptstatus **ofType** taxExemptStatus
 totallineitemamount **ofType** totalLineItemAmount

concept countryOfOrigin

nonFunctionalProperties

dc:description **hasValue** "Country where product originates."

endNonFunctionalProperties

globalcountrycode {1} **ofType** globalCountryCode

concept customerInformation

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe an end user."

endNonFunctionalProperties

customerprojectidentifier **ofType** customerProjectIdentifier
 globalcustomertypecode {1} **ofType** globalCustomerTypeCode
 partnerdescription {1} **ofType** partnerDescription

concept customerProjectIdentifier

nonFunctionalProperties

dc:description **hasValue** "The unique identification number that identifies a project for a given customer."

endNonFunctionalProperties

proprietaryreferenceidentifier {1} **ofType** proprietaryReferenceIdentifier

concept globalCustomerTypeCode **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Code identifying the type of end user."

endNonFunctionalProperties

concept nationalBusinessTaxIdentifier

nonFunctionalProperties

dc:description **hasValue** "The national tax identification number assigned to a business."

endNonFunctionalProperties

businesstaxidentifier {1} **ofType** businessTaxIdentifier
 globalcountrycode **ofType** globalCountryCode

concept businessTaxIdentifier **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Identifying number for Tax Information Field."

endNonFunctionalProperties

concept expediteReferenceIdentifier

nonFunctionalProperties

dc:description **hasValue** "The unique identification number for the expediting of a product."

endNonFunctionalProperties

proprietaryreferenceidentifier {1} **ofType** proprietaryReferenceIdentifier

concept globalProductUnitOfMeasureCode **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Code identifying a product unit of measure."

endNonFunctionalProperties

concept orderQuantity

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe various types of product quantity used in an ordering process."

endNonFunctionalProperties

requestedquantity {1} **ofType** requestedQuantity

concept productIdentification

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe proprietary **and** global identifier information regarding a product."

endNonFunctionalProperties

globalproductidentifier **ofType** globalProductIdentifier

partnerproductidentification {1 n} **ofType** partnerProductIdentification

concept requestedQuantity

nonFunctionalProperties

dc:description **hasValue** "The quantity of product requested."

endNonFunctionalProperties

productquantity {1} **ofType** productQuantity

concept productQuantity **subConceptOf** xsd:float

nonFunctionalProperties

dc:description **hasValue** "A quantity specifying the number of product units."

endNonFunctionalProperties

concept partnerProductIdentification

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe proprietary part information."

endNonFunctionalProperties

globalpartnerclassificationcode {1} **ofType** globalPartnerClassificationCode

proprietaryproductidentifier {1} **ofType** proprietaryProductIdentifier

revisionidentifier **ofType** revisionIdentifier

concept globalProductIdentifier **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "Global unique product identifier, expressed by the Global Trade Identification Number (GTIN)."

endNonFunctionalProperties

concept proprietaryProductIdentifier **subConceptOf** xsd:string

nonFunctionalProperties

dc:description **hasValue** "An internal identifier used to identify a product."

endNonFunctionalProperties

concept revisionIdentifier

nonFunctionalProperties

dc:description **hasValue** "Free form text that identifies a revision to a proprietary serial number."

endNonFunctionalProperties

freeformtext {1} **ofType** freeFormText

concept productSubLineItem

nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe a part of a product line item."

endNonFunctionalProperties

comments **ofType** comments

contractinformation **ofType** contractInformation

countryoforigin **ofType** countryOfOrigin

customerinformation {1 n} **ofType** customerInformation

expeditereferenceidentifier **ofType** expediteReferenceIdentifier

globalproductunitofmeasurecode {1} **ofType** globalProductUnitOfMeasureCode

globalpurchaseorderfillprioritycode **ofType** globalPurchaseOrderFillPriorityCode

installat **ofType** installAt

isdropship {1} **ofType** isDropShip

orderquantity {1} **ofType** orderQuantity

ordershippinginformation **ofType** orderShippingInformation

proprietaryinformation **ofType** proprietaryInformation

requestedevent {1} **ofType** requestedEvent

requestedshipfrom {1 n} **ofType** requestedShipFrom

requestedunitprice **ofType** requestedUnitPrice

shipto **ofType** shipTo

sublineitem **ofType** subLineItem

concept proprietaryInformation

nonFunctionalProperties

dc:description **hasValue** "A free form textual description of information, relating to a product."

endNonFunctionalProperties

freeformtext {1} **ofType** freeFormText

concept requestedEvent

nonFunctionalProperties

dc:description **hasValue** "The date a transportation event is requested to occur."

endNonFunctionalProperties

transportationevent **ofType** transportationEvent

concept transportationEvent
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that describe the occurrence of the public conveyance of goods as a commercial enterprise."
endNonFunctionalProperties
 begintime **ofType** beginTime
 datestamp **ofType** dt:dateAndTime
 endtime **ofType** endTime
 globaltransporteventcode **ofType** globalTransportEventCode

concept beginTime
nonFunctionalProperties
 dc:description **hasValue** "The start time of a time period."
endNonFunctionalProperties
 timestamp **ofType** dt:dateAndTime

concept endTime
nonFunctionalProperties
 dc:description **hasValue** "The end time of a time period."
endNonFunctionalProperties
 timestamp **ofType** dt:dateAndTime

concept globalTransportEventCode **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Code identifying an event during the transportation of a shipment."
endNonFunctionalProperties

concept requestedShipFrom
nonFunctionalProperties
 dc:description **hasValue** "The location where the product is requested to be shipped from."
endNonFunctionalProperties
 physicaladdress **ofType** physicalAddress

concept requestedUnitPrice
nonFunctionalProperties
 dc:description **hasValue** "The price requested for a unit of product."
endNonFunctionalProperties
 financialamount **ofType** financialAmount

concept financialAmount
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that describe the monetary amount defined by a specified currency."
endNonFunctionalProperties
 globalcurrencycode **ofType** cu:currency
 globalmonetaryamounttypecode **ofType** globalMonetaryAmountTypeCode
 invoicechargecode **ofType** invoiceChargeTypeCode
 monetaryamount **ofType** monetaryAmount

concept globalMonetaryAmountTypeCode **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Code identifying whether the monetary amount is a debit or credit."
endNonFunctionalProperties

concept invoiceChargeTypeCode **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Code identifying the values for the types of charges contained in an invoice."
endNonFunctionalProperties

concept monetaryAmount **subConceptOf** xsd:float
nonFunctionalProperties
 dc:description **hasValue** "Magnitude of currency amount."
endNonFunctionalProperties

concept shipTo
nonFunctionalProperties
 dc:description **hasValue** "The partner and/or location to which the product must be delivered."
endNonFunctionalProperties
 partnerdescription {1} **ofType** partnerDescription

concept subLineItem
nonFunctionalProperties
 dc:description **hasValue** "Information contained within a subline."
endNonFunctionalProperties
 linenummer {1} **ofType** lineNumber

concept taxExemptStatus
nonFunctionalProperties

dc:description **hasValue** "The collection of business properties that describe tax exemption conditions."
endNonFunctionalProperties
 istaxexempt **ofType** isTaxExempt
 taxexemption **ofType** taxExemption

concept isTaxExempt
nonFunctionalProperties
 dc:description **hasValue** "Indicates whether a product is exempt from taxation."
endNonFunctionalProperties
 affirmationindicator {1} **ofType** affirmationIndicator

concept taxExemption
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that describe tax exemption type and identification information."
endNonFunctionalProperties
 globaltaxexemptioncode **ofType** globalTaxExemptionCode
 taxexemptioncertificationidentifier **ofType** taxExemptionCertificationIdentifier

concept globalTaxExemptionCode **subConceptOf** xsd:string
nonFunctionalProperties
 dc:description **hasValue** "Code identifying the type of tax exemption for a product or service."
endNonFunctionalProperties

concept taxExemptionCertificationIdentifier
nonFunctionalProperties
 dc:description **hasValue** "The unique identifier that represents the authorization for a product or services tax exempt status."
endNonFunctionalProperties
 proprietaryreferenceidentifier **ofType** ProprietaryReferenceIdentifier

concept totalLineItemAmount
nonFunctionalProperties
 dc:description **hasValue** "The monetary total associated with a line item."
endNonFunctionalProperties
 financialamount **ofType** financialAmount

concept secondaryBuyer
nonFunctionalProperties
 dc:description **hasValue** "The collection of business properties that describe an alternate buyer."
endNonFunctionalProperties
 partnerdescription {1} **ofType** partnerDescription
 secondarybuyerpurchaseorderid **ofType** secondaryBuyerPurchaseOrderIdentifier

concept secondaryBuyerPurchaseOrderIdentifier
nonFunctionalProperties
 dc:description **hasValue** "Unique number that identifies a purchase order issued by the secondary buyer."
endNonFunctionalProperties
 proprietarydocumentidentifier {1} **ofType** proprietaryDocumentIdentifier

concept totalAmount
nonFunctionalProperties
 dc:description **hasValue** "Total price for an entire invoice."
endNonFunctionalProperties
 financialamount **ofType** financialAmount

concept thisDocumentGenerationDateTime
nonFunctionalProperties
 dc:description **hasValue** "The date-time stamp indicating when this business document was generated."
endNonFunctionalProperties
 datetimestamp **ofType** dt:dateAndTime

concept thisDocumentIdentifier
nonFunctionalProperties
 dc:description **hasValue** "The information that identifies the business document being sent. This identifier is used to represent the specific business document associated with the defined business process."
endNonFunctionalProperties
 proprietarydocumentidentifier {1} **ofType** proprietaryDocumentIdentifier

